

H7-5930

*** CHARGE ***

TOTAL LABOR:
TRAVEL:
TRAVEL COVERAGE CREDIT:
TOTAL TRAVEL:
MISC.:
MISC. COVERAGE CREDIT:
TOTAL MISC.:
ELECTRONIC TOOLING FEE
HAZ WASTE DISPOSAL
ROAD MILEAGE FS PG
SHOP SUPPLIES

LOCAL

134-3012

134-2012

101-2016

5,566.47

BY (print name)

SIGNATURE

DATE _____

ORDER NO.	SHIP VIA	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
2018		FAIL DATE	900.0DFJC		ONAN
		25-OCT-2018	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
	SALESPERSON	PARTS DISP.	H950584138		GEN SET
	OT352	MILEAGE/HOURS		PUMP CODE	UNIT NO.
					GEN SET

BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
--------------	------------------	-------------	-------------	--------------	------------	--------

MAINT
SECTION

QUOTE TO INSTALL 1302 UPGRADE KIT, AND UNIVERSAL ANNUNCIATOR.
DROVE TO CUSTOMER SITE AND DID JSA. TOOK TOOLS INTO TRAILER AND
LOTO UNIT REMOVED ALL BASE BOARDS AND WIRING INSTALLED NEW BASE
BOARD AND AUX 101 STARTED HOOKING UP ALL WIRING. INSTALLED NEW
COOLANT SENSOR AND OIL PRESSURE SENSOR. RAN UNIT AND VERIFIED
THAT UNIT WORKS-OKAY.

FINISHED INSTALLING CONTROL UPGRADE. RAN AND TESTED-OKAY.
TWEAKED VOLTAGES AND VERIFIED SHUTDOWNS.

1	541-1414-01	CONTROL KIT (PCC1302)	ONAN
1	541-1231	GOVERNOR KIT PCC1301	ONAN
1	SHEET METAL	SHEET METAL	C1-NSPART1
2	AR394	5 TERMINAL RELAY	C1-NSPART1
3	782-2023	FUSE HOLDER	C1-NSPART1
2	EC23	PIGTAIL	C1-NSPART1
1	FREIGHT	FREIGHT CHRG FS PG	C1-FREIGHT
3	302-2055-13	TRANSFORMER-CURRENT	ONAN
1	FREIGHT	FREIGHT CHRG SERVICE	C1-FREIGHT

Quarry

PARTS:
PARTS COVERAGE CREDIT:
TOTAL PARTS:
SURCHARGE TOTAL:
LABOR:
LABOR COVERAGE CREDIT:

2
)

INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE
INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE
AND FULLY UNDERSTOOD.

BY (print name) _____ SIGNATURE _____ DATE _____

DATE OCT-2018	CUSTOMER ORDER NO.	DATE IN SERVICE 17-OCT-2018	ENGINE MODEL 900.0DFJC	PUMP NO.	EQUIPMENT MAKE ONAN
ORDER NO.	SHIP VIA	FAIL DATE 17-OCT-2018	ENGINE SERIAL NO. H950584138	CPL NO.	EQUIPMENT MODEL GEN SET
REF. NO.	SALESPERSON OT352	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO. GEN SET
MSN/VIN	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE
					UNIT PRICE
					AMOUNT

TRAVEL COVERAGE CREDIT:

TOTAL TRAVEL:

MISC.:

MISC. COVERAGE CREDIT:

TOTAL MISC.:

ELECTRONIC TOOLING FEE

HAZ WASTE DISPOSAL

~~ROAD MILEAGE FS PG~~~~SHOP SUPPLIES~~~~SVC LABOR DISCOUNT- FSPG~~

n nn

EXEMPT NUMBERS:

LOCAL

134-3012

134-2012

INCLUDING LIMITATION ON THE REVERSE SIDE OF THIS
 ONLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE
 READ AND FULLY UNDERSTOOD.

SUB TOTAL

TOTAL TAX:

TOTAL AMOUNT: US \$

1,185.56

AUTHORIZED BY (print name)

SIGNATURE

DATE

CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
018	17-OCT-2018	900.0DFJC		ONAI
NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.
		17-OCT-2018	H950584138	
SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	EQUIPMENT MODEL
OT352				GEN SE
				UNIT NO.
				GEN SE

BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
--------------	------------------	-------------	-------------	--------------	------------	--------

VIN

INT

ION

CODE 221
SHUT DOWN
CODE WILL NOT RESET
WILL NOT CRANK - OR TURN OVER
WIRING AND CONTROLLER DAMAGE
3100 CONTROL
LOCKOUT 8D BATTERIES X4 .

MICE DAMAGE.

WILL NOT START OR CRANK.
OPENED UP GENERATOR COVERS AND FOUND 11 WIRES CHEWED BY MICE
AND SOME TWICE IN 6 INCHES ON A38 GOVERNOR BOARD AND A37
REGULATOR OUTPUT , B+ AND 2 GROUNDS .

NEEDS QUOTE FOR A31 ANALOG BOARD AND A32 DIGITAL BOARD.
NEEDS QUOTE FOR A37 .

TO CLEAN RADIATOR 98% BLOCK.
BILLABLE

Quarry

PARTS:
PARTS COVERAGE CREDIT:
TOTAL PARTS:
SURCHARGE TOTAL:
LABOR:
LABOR COVERAGE CREDIT:
TOTAL LABOR:
TRAVEL:

n or

ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS
INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE
INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE
AND FULLY UNDERSTOOD.

BY (print name) _____ SIGNATURE _____ DATE _____

DATE	CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
2018		25-MAY-2018	900.0DFJC		ONAN
TER NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
		25-MAY-2018	H950584138		GEN SET
NO.	SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
	OT352				GEN SET

BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT

EMPT NUMBERS:

LOCAL

0.07

134-3012

134-2012

134-2016

ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS
INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE
INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE
AND FULLY UNDERSTOOD.

SUB TOTAL:

TOTAL TAX:

TOTAL AMOUNT: US \$

3,243.15

BY (print name)

SIGNATURE

DATE

CUSTOMER ORDER NO.		DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT M/
018		25-MAY-2018	900.0DFJC		ON
SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MO	
	25-MAY-2018	H950584138		GEN SI	
SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.	
OT352				GEN SI	

BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOU
--------------	------------------	-------------	-------------	--------------	------------	------

BACK HOUSING. INSTALLED PMG AND TORQUED TO SPEC. REMOVED DIODES AND INSTALLED NEW DIODES AND RESISTORS. SOLDERED BROKEN WIRE BACK ONTO DIODE AS PER WO INSTRUCTIONS. INSTALLED ALL PANELS THAT WERE REMOVED AND RAN UNIT -OKAY VOLTAGE CAME UP TO 480/277.

TURNED IN UNUSED PARTS AND CLOKED OFF JOB.

1	366-40800	STATOR ASSY	ONAN
1	RSK-6001	RECTIFIER SERVICE KIT	ONAN

PARTS:
 PARTS COVERAGE CREDIT:
TOTAL PARTS: 30
 SURCHARGE TOTAL:
 LABOR:
 LABOR COVERAGE CREDIT:
TOTAL LABOR: 201
 TRAVEL:
 TRAVEL COVERAGE CREDIT:
 TOTAL TRAVEL:
 MISC.:
 MISC. COVERAGE CREDIT:
TOTAL MISC.: 201
 ROAD MILEAGE FS PG
 ELECTRONIC TOOLING FEE
 HAZ WASTE DISPOSAL
 SHOP SUPPLIES

INCLUDING LIMITATION ON THE REVERSE SIDE OF THIS
 INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE
 AND FULLY UNDERSTOOD.

BY (print name) _____ SIGNATURE _____ DATE _____

CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
	25-MAY-2018	900.0DFJC		ONAN
SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
	25-MAY-2018	H950584138		GEN SET
SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
OT352				GEN SET

QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
------------------	-------------	-------------	--------------	------------	--------

CHECK UNIT FOR FAULT CODE 303
LOW AC VOLTAGE

CONTACT:

DROVE TO SITE AND DID JSA. RAN UNIT AND MEASURES VOLTAGE FOUND THAT ACTUAL VOLTAGE L-L 59 VOLTS AND THAT CONTROL IS SEEING 59 VOLTS AC. TROUBLE SHOT 303 AS PER MANUAL. CHECKED BOARDS LIGHT AND FOUND OKAY. CHECKED MPG-OKAY 220VAC ALL 3 PHASES. INSPECTED WIRING AND DIODES AND FOUND BROKEN DIODE AND FOUND DAMAGED EXCITER ROTOR AND EXCITER STATOR. FOUND THAT RATS HAD BEEN INTO UNIT AND BROUGHT BOLTS AND WASHERS INTO UNIT ALSO LOTS OF LEAVES AND DEBRIS. RECOMMEND TO CUSTOMER TO CLEANED OUT AND THAT WE WOULD HAVE TO BRING EXCITER STATOR, EXCITER ROTOR, DIODES AND REAR BEARING AND MEGGER. EXPLAINED THAT WE WOULD MEGGER UNIT AND IF STATOR AND ROTOR PASSED WE WOULD INSTALL PARTS AND TEST. RECOMMEND THAT CUSTOMER HAVE ALTERNATOR PULLED AND SENT OUT FOR TESTING AND REPAIR HE SAID WE NEED TO QUOTE TO FIX IT FIRST. CHECKED MAIN ROTOR BEFORE LEAVING SITE AND FOUND THAT ROTOR IS OKAY 1.5 OHMS.

UNIT CAN NOT BE FIXED AT SITE WILL NEED TO BE REMOVED AND REPLACED OR REPAIRED. DUE TO EXCITER ROTOR IS PRESS FIT ON MAIN ROTOR.

602689 7PM 6-21-2018

DROVE TO SITE AND DID JSA. LOTO UNIT. MEGGER STATOR AND ROTOR-OKAY. CONTINUE WITH REPAIR. KEVIN CAME TO HELP. WORKED WITH KEVIN REMOVED PANELING AND SET UP COME-A-LONG. REMOVED PMG AND REMOVED BACK PLATE AND EXCITER STATOR. CLEANED OUT ALL BOLTS AND DEBRIS THAT RAT PACKED INTO UNIT. DISASSEMBLED EXCITER ROTOR AND MEGGERED-OKAY. CLEANED OUT BEARING AND INSPECTED. WAS NOT ABLE TO REPLACE BEARING. PACKED BEARING WITH NEW GREASE AND CHECKED-OKAY. INSTALLED EXCITER STATOR ONTO BACK HOUSING AND INSTALLED

Quarry

✓ DE/Coff

INCLUDING CONTRACT TERMS ON THE REVERSE SIDE OF THIS
INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE
AND FULLY UNDERSTOOD.

BY (print name)

SIGNATURE

DATE

DATE 06-FEB-2019	CUSTOMER ORDER NO. GEN SET	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
CUSTOMER NO. 83950	SHIP VIA UPS GROUND	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
REF. NO. OE-100-895060	SALESPERSON QG830	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.

QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
------------------	--------------	------------------	-------------	-------------	--------------	------------	--------

2		2	333-0512-S1	HEATER-ENG, 208/240/480 V	ONAN		
TRACKING#			1Z6769280342282264				

BACK ORDER

SHIPPING AND HANDLING:
SUB TOTAL:

*Quarry
Genset*

134-3012

134-2016

HERE ARE ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS DOCUMENT, INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE EXPRESSLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ AND FULLY UNDERSTOOD

TOTAL AMOUNT: US \$ 3,502.84

RECEIVED BY (print name) _____ SIGNATURE _____ DATE _____

DATE		CUSTOMER ORDER NO.		DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
19-JUN-2020				15-JUN-2020	900.0DFJC		ONAN
CUSTOMER NO.		SHIP VIA		FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
83950				15-JUN-2020	H950584138		GEN SET
REF. NO.		SALESPERSON		PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
62319		PS850					GEN SET
QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT

OSN/MSN/VIN

ROAD MILEAGE
ELEC TOOLING FEE CREDIT

TAX EXEMPT NUMBERS:

LOCAL

134-2012

THERE ARE ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS DOCUMENT, INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE EXPRESSLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ AND FULLY UNDERSTOOD.

SUB TOTAL:
TOTAL TAX:

TOTAL AMOUNT: US \$ 493.81

AUTHORIZED BY (print name) _____ SIGNATURE _____ DATE _____

DATE	CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
19-JUN-2020		15-JUN-2020	900.0DFJC		ONAN
CUSTOMER NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
83950		15-JUN-2020	H950584138		GEN SET
REF. NO.	SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
62319	PS850				GEN SET

QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
------------------	--------------	------------------	-------------	-------------	--------------	------------	--------

OSN/MSN/VIN

TOOK PICTURES OF FUEL PUMP AND ENGINE NAMEPLATE.

RESTARTED GENERATOR AND KEN PUT 158 KW LOAD ON GENERATOR WITH NO ISSUES. STOPPED GENERATOR FROM HMI AND NO ISSUES.

CALLED KEVIN AND TALKED TO HIM ABOUT ISSUES FROM KEN.
1ST CHANGE FUEL FILTERS AGAIN.

2ND IF ISSUES COME BACK QUOTE NEW FUEL PUMP ACTUATOR, FUEL PUMP SOLENOID AND FUEL RETURN LINE.

THANK YOU FOR CHOOSING CUMMINS SALES AND SERVICE

PARTS:
PARTS COVERAGE CREDIT:
TOTAL PARTS:
SURCHARGE TOTAL:
LABOR:
LABOR COVERAGE CREDIT:
TOTAL LABOR:
TRAVEL:
TRAVEL COVERAGE CREDIT:
TOTAL TRAVEL:
MISC.:
MISC. COVERAGE CREDIT:
TOTAL MISC.:
ELECTRONIC TOOLING FEE
HAZ WASTE DISPOSAL
SHOP SUPPLIES

THERE ARE ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS DOCUMENT, INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE EXPRESSLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ AND FULLY UNDERSTOOD.

AUTHORIZED BY (print name) _____ SIGNATURE _____ DATE _____

DATE		CUSTOMER ORDER NO.		DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
19-JUN-2020				15-JUN-2020	900.0DFJC		ONAN
CUSTOMER NO.		SHIP VIA		FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
83950				15-JUN-2020	H950584138		GEN SET
REF. NO.		SALESPERSON		PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
62319		PS850					GEN SET
QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT

OSN/MSN/VIN

COMPLAINT

SCHEDULED FOR 6/17/2020 7:30 AM

POC: KEN 620-205-6916

CORRECTION

STANDARD SERVICE JOBS: CUSTOMER REQUEST TECH TO TROUBLESHOOT UNIT.

GENERATOR PANEL READS GOOD, BUT CANT GET UNIT UP TO SPEED.

FIELD SERVICE BASIC - 6-17-20 RODNEY ELLIS PQ147

CONTACTED KEN.

ISSUES: AFTER STARTING IN IDLE MODE GENERATOR WILL NOT RAMP UP IN SPEED WHEN SWITCHING TOGGLE SWITCH TO RUN. ALSO HAD ISSUES WHERE GENERATOR WOULD NOT STOP FROM HMI OFF BUTTON.

ARRIVED AND CHECKED OUT ISSUES PER KENS CONVERSATION.

STARTED GENERATOR IN MANUAL AND IT RAMPED UP TO APPROXIMATELY 500 RPMS.

RECONNECTED WIRING ON TOGGLE SWITCH AS IT WOULD BE NORMALLY.

FIXED RED WIRE TO START RELAY THAT WAS CHEWED BY MOUSE.

CHECKED WIRING ON 1302 BOARD AND GOVERNOR BOARD. STARTED GENERATOR AND TOGGLE SWITCH AND GENERATOR RAMPED UP TO 1799 RPMS. STOPPED GENERATOR FROM HMI, DID THIS SEVERAL TIMES AND NO ISSUES.

CUT OFF EXCESS WIRE FROM 1302 CABLES AND TAPED UP INDIVIDUALLY.

CHECKED FUEL PUMP ACTUATOR AND REMOVED ROCK DUST ALL OVER TERMINALS ON PUMP AND ACTUATOR. CLEANED AND RECHECKED.

THERE ARE ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS DOCUMENT, INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE EXPRESSLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ AND FULLY UNDERSTOOD.

AUTHORIZED BY (print name) _____ SIGNATURE _____ DATE _____

DATE 06-FEB-2021	CUSTOMER ORDER NO. QUARRY	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
CUSTOMER NO. 83950	SHIP VIA CUSTOMER PICK UP	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
REF. NO. OE-100-982939	SALESPERSON CL964	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.

QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
------------------	--------------	------------------	-------------	-------------	--------------	------------	--------

BACK ORDER

2 2 333-0512-S1 HEATER-ENG, 208/240/480 V ONAN

AS A RESULT OF THE OUTBREAK OF THE DISEASE COVID-19 ARISING FROM THE NOVEL CORONAVIRUS, TEMPORARY DELAYS IN DELIVERY, LABOUR OR SERVICES FROM CUMMINS AND ITS SUB-SUPPLIERS OR SUBCONTRACTORS MAY OCCUR. AMONG OTHER FACTORS, CUMMINS DELIVERY OBLIGATIONS ARE SUBJECT TO CORRECT AND PUNCTUAL SUPPLY FROM OUR SUB-SUPPLIERS OR SUBCONTRACTORS, AND CUMMINS RESERVES THE RIGHT TO MAKE PARTIAL DELIVERIES OR MODIFY ITS LABOUR OR SERVICE. WHILE CUMMINS SHALL MAKE EVERY COMMERCIALY REASONABLE EFFORT TO MEET THE DELIVERY, SERVICE OR COMPLETION OBLIGATIONS SET FORTH HEREIN, SUCH DATES ARE SUBJECT TO CHANGE.

CALL MIKE 620-784-5391

TRACKING#

SU

Block Heater - Gen Set

134-BD12

HERE ARE ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS DOCUMENT, INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE FULLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE READ AND FULLY UNDERSTOOD.

TOTAL AMOUNT: US \$ 3,916.22

RECEIVED BY (print name) _____ SIGNATURE _____ DATE _____



DATE	CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
18-JUN-2021			900.0DFJC		ONAN
CUSTOMER NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
83950		16-JUN-2021	H950584138		GEN SET
REF. NO.	SALES PERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
64421	GP551				GEN SET

QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
------------------	--------------	------------------	-------------	-------------	--------------	------------	--------

OSN/MSN/VIN

TAX EXEMPT NUMBERS:

LOCAL 0.00

134-3012
134-2016
134-2012

For Inquiries? Call (877)480-6970 or email CBSNPower.Receivables@cummins.com

THERE ARE ADDITIONAL CONTRACT TERMS ON THE REVERSE SIDE OF THIS DOCUMENT, INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE EXPRESSLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ AND FULLY UNDERSTOOD.

SUB TOTAL:

TOTAL TAX:

TOTAL AMOUNT: US \$

761.51

AUTHORIZED BY (print name) _____ SIGNATURE _____ DATE _____



DATE	CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
18-JUN-2021			900.0DFJC		ONAN
CUSTOMER NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
83950		16-JUN-2021	H950584138		GEN SET
REF. NO.	SALES PERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
64421	GP551				GEN SET

QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
------------------	--------------	------------------	-------------	-------------	--------------	------------	--------

OSN/MSN/VIN

COMPLAINT

STANDARD SERVICE JOBS: CUSTOMER REQUEST TECH CALLOUT TO INSPECT UNIT FOR UNKNOWN ENGINE SHUT DOWN UNIT HAS SHUT DOWN SEVERAL TIME FOR UNKNOWN FAULT

CAUSE

TIM SEARLES 620-205-6916
LOOSE PIN IN HARNESS

CORRECTION

THE UNIT IS GETTING NUISANCE EMERGENCY STOP RANDOMLY . THERE IS NO EMERGENCY STOP ON THE UNIT. PULLED COVERS OFF TO INSPECT BOARDS AND WIRING . FOUND ONE OF THE HARNESSES THAT GO FROM THE BOARD TO THE HMI PANEL MAY HAVE A LOSE PIN IN THE CONNECTOR. IT HAS BEEN UPGRADED FROM A 3100 CONTROL TO A 1301 .

PARTS:
PARTS COVERAGE CREDIT:
TOTAL PARTS:
SURCHARGE TOTAL:
LABOR:
LABOR COVERAGE CREDIT:
TOTAL LABOR:
TRAVEL:
TRAVEL COVERAGE CREDIT:
TOTAL TRAVEL:
MISC.:
MISC. COVERAGE CREDIT:
TOTAL MISC.:
ELECTRONIC TOOLING FEE
HAZ WASTE DISPOSAL
SHOP SUPPLIES
ROAD MILEAGE

Quora
GenSet

DOCUMENT, INCLUDING LIMITATION ON WARRANTIES AND REMEDIES, WHICH ARE EXPRESSLY INCORPORATED HEREIN AND WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ AND FULLY UNDERSTOOD.

AUTHORIZED BY (print name) _____ SIGNATURE _____ DATE _____

INVOICE NO PSO284636-1	INVOICE DATE 07-13-2022
PAYMENT TERMS DUE ON RECEIPT	

PARTS INVOICE

SALES TAX DETAILS

AUWR-M

PARTS	5
MISC CHARGES	
SUBTOTAL	6
SALES TAX	
INVOICE TOTAL (USD)	6,409.64

UPS GROUND TRK# 1Z24AV330342752055

Note:
Electrical Components are Non-Returnable. Up to a 15% restock fee may be applicable on all other components. Thank you for your business.

SALESMAN:

ORDER NO: PSO284636

DELIVERY TERMS:

SHIP VIA:

CONTACT NAME:

POS.	SHIP	B/O	PART NUMBER / LOT ID	DESCRIPTION	WRH	PRICE	TOTAL
1	2	0	A0804708093 Mfg Code QJC	LINER, BOTTOM PAN	10100		
2	16	0	070451 Mfg Code QJC	BOLT FLA	10100		
3	16	0	07386008 Mfg Code COM	3/4 NUT GR5	10100		
800	1	0	PSHT Mfg Code	PARTS -SHIPPING & HAN			
4		2	A0804708074 Mfg Code	Serial No RH REAR LINER	O20220429001000001		
5		2	A0804708075 Mfg Code	Serial No LH REAR LINER	O20220429001000001		
				Serial No	O20220429001000001		

Green
(Jed)
Crusher

104-3013
134-2010