

THOMAS IMPLEMENT, INC.

Case I. H. Sales and Service
Ph: 784-5630 - 784-5331 Box 435
ALTAMONT, KANSAS 67330
1-800-530-5428

ASE III

CASE III

NAME

Internal

ADDRESS

ADDRESS

ORDER WRITTEN

BY

RECEIVED

PROMISED

TYPE OF MACHINE

Combine

HOURLY METER OR MILEAGE

2783

PHONE

MAKE

CASE

SERIAL NO.

JJC 0119889

MODEL

1688

MOTOR NO.

WORK TO BE DONE

LABOR ONLY
MATERIAL ADDITIONAL

PART NUMBER	DESCRIPTION	ON ORDER	UNIT PRICE	AMOUNT
1317456C3	Housing			799 19
192430C3	Tube			561 99
1968108C2	Lining			7 14
138-2009	Roll Pin			1 12
1307692C2	Tube			11 00
1307693C1	Pipe			10 75
133756C1	Gasket			303
B94098	Kit			144 28
B93196	Kit			196 52
117405A1	Hose			24 80
1979382C2	Hose			31 61
294926A1	Valve			18 53
5914310	Gasket			1 46
120116A1	Tube			151 54
2928639	Thermostat			13 98
2918779	Gasket			3 69
A77544	Element			9 85
197410C1	Bolt			23 31
393750A1	Belt			190 08
181579C1	Lining		32.62	65 24
455112R1	Collar			25 73
455112R11	Collar			4 99
64598R11	Collar			10 97
185818C1	Stripper Assy			10 68
185819C1	Stripper Assy			10 68
1319876C5	Arm			158 95
1319875C5	Arm			158 95
87217C1	Spacer		2.39	4 78
557995R11	Collar		2.60	5 20
230116C1	Clange		5.30	10 60
314148R1	Spacer		4.39	8 78
12047A2	Package			20 00
117867A1	Chain			577 42
195202C1	Seal		12.32	24 64
1329717C1	Sprocket			81 09
29972R91	Sprocket			11 84
321524C94	Chain			91 61

Removed & rebuilt both final drives with new input shafts, axle shafts & couplers. New seals in rotor gearbox. Remove PTO unit & rebuild & reseal. Rebuild upper cleaning fan shaft. Rebuild elevator drive Jackshaft. Tighten all suction line clamps. New pin & bushings on header lift pump drive belt. Replace clean grain elevator leg. Replace tailings elevator leg. New tailings chain. Put 6 plastic paddles on clean grain chain. New vertical unloading auger. Change oil in unloading auger gearbox. Repair electrical wiring as necessary. Removed rotor. New cone vanes. New cage vanes. Fix bottom of clean grain trough. Fix bottom of cleaning fan housing. Replace broken sheet metal behind cleaning fan. Replace four augers in auger bed. Replace wooden block on auger bed. Change oil & filter in PTO unit. Change hydro oil & filter. Replace shut off valve on water filter housing. R&R front horzt. unloading auger. R&R rear unloading tube. Install a chaff and straw spreader kit. Inspect shaker bushings. Rebuild the shoe shaker pan with new side rails. Rebuild top shaker frame as needed. Rebuild slip clutch on top feeder shaft. Installed new sprockets on feeder top shaft. Replaced feeder chain.

MILEAGE

FUEL GREASE

OTHER MATERIALS

TOTAL SERVICE

15708 80

TOTAL PARTS

16857 57

DYNAMOMETER

PICKUP & DELIVERY

OUTSIDE WORK

OTHER MATERIALS

FUEL OIL GREASE

SALES TAX

(WHERE APPLICABLE)

I hereby authorize the repair work to be done as described above on the machine(s) named hereon. All repair parts are to be billed at your regular prices. I agree to pay cash for such repair parts and labor on delivery of machine(s) or on terms satisfactory to you and until paid in full any unpaid balance shall constitute a lien on this machinery. I further agree that you will not be held responsible for loss or damage to said machinery from fire, theft or other causes beyond your control.

TOTAL

\$ 32,566.37

DATE 1-28-04 SIGNED

BY

TOTAL PARTS

DE WORK

car strips on front drum. New arms and bushings on drum. Replace exhaust elbow. New top and bottom hoses. Change engine oil & filter. Weld rivets in the ing elbow. Fix all lights. New torque springs on rotor bushings. TOTAL OUTSIDE WORK
perator belt. New clean grain drive chain. New drive chain. New chains on the unloading auger.

INV# R12142A

Thank You

New concaves. Rebuild platform and guard rail. Replace wires on chaffer frame. New gears on auger bed drive shaft. Unloading auger 10062 sprockets. Patched holes in right side of bin. Replaced engine oil sending unit. Check oil pressure - 80psi at idle. Replaced hydro 2 speed solenoid & valve.

Memo Pad for Bif

sales 1688

- Category: Combines
- sales 1688
 - ✓ rebuild both final drives with new input shaft, axle shafts, and couplers
 - ✓ new seals in rotor gear box
 - ✓ rebuild pto clutch pack and seals
 - ✓ rebuild upper cleaning fan shaft.
 - ✓ rebuild elevator drive jackshaft
 - ✓ tighten all suction line clamps
 - ✓ new pin and bushing on header lift pump drive belt
 - ✓ replace clean grain elevator leg
 - ✓ replace tailing elevator leg
 - ✓ new tailing chain
 - ✓ put on 6 plastic paddles on clean grain chain
 - ✓ new vertical unloading auger
 - ✓ change oil in unloader gear box
 - ✓ repair electrical wiring as needed
 - ✓ new cone vanes
 - ✓ new cage vanes
 - ✓ fix bottom of clean grain through
 - ✓ fix bottom of cleaning fan housing
 - ✓ replace broken sheet metal behind cleaning fan
 - ✓ replace four augers in auger bed
 - ✓ replace wooden blocks on auger bed
 - ✓ change oil and filter in pto unit
 - ✓ change oil and filter in hydraulic system
 - ✓ replace the shut off valve on water filter housing
 - ✓ replace the front hort. unloading auger
 - ✓ replace the rear unloading tube
 - ✓ install a chaff and straw spreader kit
 - ✓ inspect shaker bushings
 - ✓ rebuild the shoe shaker pan with new side rails
 - ✓ rebuild top shaker frame as needed
 - ✓ rebuild slip clutch on top feeder shaft
 - ✓ new sprockets on feeder top shaft
 - ✓ new feeder chain
 - ✓ wear strips on front drum
 - ✓ new arms and bushings on front drum
 - ✓ replace exhaust elbow
 - ✓ new top and bottom rad hoses
 - ✓ change engine oil and filter
 - ✓ weld rivets in unloading elbow
 - ✓ fix all lights
 - ✓ new torque spring on rotor, cam, and bushings
 - ✓ new separator belt
 - ✓ new clean grain drive chain
 - ✓ new tailing drive chain
 - ✓ new chains on the unloading auger
 - ✓ new concaves
 - ✓ rebuild platform and guard rail
 - ✓ replace wires on chaffer frame
 - ✓ new gears on auger bed drive shaft
 - ✓ unloading auger sprockets
 - ✓ patched holes in right side grain bin
 - ✓ replace oil sending unit
 - ✓ check oil pressure with a gauge 80 lb at idle

replace two speed solinod and valve

PT# 4947.

CUSTOMER NAME

Internal

1688 Combine

PAGE NO.

2

TICKET NO.

10062

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT	QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
✓ 1	193282C91	Brg.		60 98	✓ 1	193282C91	Brg.		23 05
✓ 1	B95306	Kit		33 22	✓ 1	66116R91	Brg.		72 76
✓ 1	1317250C91	Brg.		32 98	✓ 2	619737R91	Brg.	20.02	40 04
✓ 2	A63366	Brg.	5.60	11 20	✓ 2	387284A1	Brg.	23.53	47 06
✓ 1	191854C1	Tube		130 76	✓ 1	1324557C2	Tube		87 08
✓ 1	T33150	Brg.	15.87	31 74	✓ 1	1979134C1	Support		100 05
✓ 2	1342907C1	Shaft	287.05	574 10	✓ 1	1321095C1	Panel		34 95
✓ 2	401905R91	Seal	47.01	94 02	✓ 1	1321497C1	Panel		53 48
✓ 2	283445C91	Brg.	129.28	258 56	✓ 1	1319954C1	Bracket	89 Line	13 89
✓ 2	66116R91	Brg.	36.32	72 64	✓ 2	481383C1	Flange	532	10 64
✓ 2	401911R91	Brg.	38.39	76 78	✓ 1	1307688C2	Support	Line 119	6 6
✓ 2	61012R1	Brg.	18.96	37 92	✓ 2	Batteries	Post	60.00	120 00
✓ 2	196454C91	Brg.	30.06	60 12	✓ 1	B500060	Jack		59 28
✓ 2	360325R1	Brg.	11.20	22 40	✓ 1	A47221	Oring		1 80
✓ 2	401914R91	Seal	16.38	32 76	✓ 2	19079434R91	Support		—
✓ 4	184341C2	Ring	42.14	168 56	✓ 1	B94620	Bushing Kit		95 93
✓ 2	184189C1	Shaft	164.75	329 50	✓ 1	110844A2	Spring		31 42
✓ 2	188068C1	Bushing	7.72	15 44	✓ 1	237-6005	Oring		33
✓ 1	1989254C1	Spacer		7 95	✓ 1	237-6008	Oring		33
✓ 1	191823C2	Rad		14 90	✓ 1	610450	Seal		6 07
✓ 1	195439C2	Pin		22 12	✓ 2	194051C1	Seal	16.58	33 16
✓ 1	188425C2	Gasket		5 66	✓ 2	986244R1	Bushing	16.58	33 16
✓ 1	70203C2	Element		7 95	✓ 6	C13263	Spring	15.50	93 00
✓ 1	238-7328	Oring		3 72	✓ 1	198279A1	Hub		103 35
✓ 1	381488R1	Ring		5 99	✓ 1	194853C3	Shaft		69 25
✓ 1	186397A1	Package		177 45	✓ 1	126-125	Key		1 76
✓ 1	37054R1	Support		100	✓ 1	1541569C1	Belt		41 51
✓ 1	5T571	Brg.		21 57	✓ 1	194528C2	Belt		184 4
✓ 1	529565R2	Gasket		3 68	✓ 2	1302054C1	Washer	4.05	8 10
✓ 1	A170807	Clamp		27 45	✓ 1	185129C1	Washer		1 18
✓ 2	128298A2	Switch	15.38	30 76	✓ 2	27825R1	Spacer	5.61	11 22
✓ 2	245361C2	Transmitter	154.71	309 42	✓ 1	1302143C1	Bolt		1 6
✓ 1	92201C1	Harness		74 81	✓ 2	194057C1	Washer		8 01
✓ 1	245193C2	Transducer		41 48	✓ 2	194051C1	Seal		16 58
✓ 1	188213C3	V-Belt		51 23	✓ 1	181206C1	Block		27 65
✓ 2	1320254C1	Plate		34 40	✓ 1	183333C1	Hub		96 41
✓ 1	1317442C1	Clamp		20 49	✓ 1	183333C1	Hub		96 41
✓ 1	183333C1	Hub		20 49	✓ 1	183333C1	Hub		96 41
✓ 1	183333C1	Hub		20 49	✓ 1	1302221C1	plate		23 4

PTH 4941

CUSTOMER NAME

1688

PAGE NO.

3

TICKET NO.

10062

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT	QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
1	191785C1	Shaft		10.84	1	191785C1	Shaft		31.90
1	126-124	Key		148.345	1	126-124	Key		94
0	169256C2	Washer	147	14.70	1	168683C1	Sprocket		39.25
1	88907	Woodruff Key		89.14	2	455102R21	Collar	2.54	5.08
1	1345472C1	Sprocket		34.20	2	1345472C1	Sprocket	50.34	100.68
1	143177A4	Sprocket Kit		1200.00	2	50591	Flange	.87	1.74
1	1317192C1	Sprocket		44.59	2	204807C91	Brg	9.16	18.32
2	ST863	Brg		13.30	1	B96126	Concave Set		1276.13
2	ST783A	cone		38.98	4	495-81202	washer	.60	2.40
1	381626R1	Seal		8.32	1	214490C91	Brg		20.02
1	128298A2	switch		15.38	1	145883C1	Sprocket		
1	88907	Key		89.14	1	495-81065	washer	.80	3.20
30	P2706-031	nut	.05	1.50	1	188119C1	trough		108.41
10	P2707-624	Bolt	.29	2.90	15	P2707-622	Bolt	.30	4.50
10	P2707-626	Bolt	.33	3.30	15	P2707-624	Bolt	.29	4.35
10	P2707-626	Bolt	.33	3.30	30	P2706-031	nut	.05	1.50
1	495-81069	washer		92.11	1	191790C2	End		32.46
1	1346205C1	Seal Kit		144.16	1	145883C1	Sprocket		
2	1997637C1	Pin	3.83	7.66	12	P4767-031	lock nut 3/8	.14	1.68
1	495-11053	Washer		15.11	1	L105124	Latch		5.27
1	183210C91	Hole		159.61	13.5	1740DDX	50 chain	2.99	40.37
2	192139C2	sprocket	44.47	88.94	1	241-1315	Conn r links		70
3	4	Washer	.09	27.27	2	P4767-030	5/16 lock nut	.11	22
1	1345485C3	Transmitter		32.41	1	1303114C91	Tailg Chain		148.76
1	1427-3175	Pin		105.21	1	241-15113	links		2.45
1	427-3175	Pin		1.26	8	175114C1	Fingers	4.58	13.74
1	181202C1	Shaft		77.95	1	1325214C1	K.T		60.25
1	1319901C1	Plate		46.95	30	P2706-030	nut	.04	1.20
2	1326331C1	Stop	9.76	19.52	30	P2708-583	Bolt	.18	5.40
2	1326331C1	Stop		19.52	2	443-13116	Bolt	.47	94
1	1326331C1	Stop		32.24	1	1322458C3	Bar		39.80
1	939462R1	Flange		11.14	1	6867824	Support		1.27
2	1319908C1	Plate		60.24	2	1970248C1	Sprocket	56.47	112.94
1	1319908C1	Plate		60.24	4	P4752-031	nut	.07	28
1	123763A1	Snapping		170.02	2	1289208C2	Shaft		
2	123763A1	Snapping		-2.82	2	1289208C2	Shaft		
2	581469R1	Flange	1.33	2.66	8	P2706-031	Nuts	.20	80
1	156010C92	Brg		17.10	1	B96126	Concave Kit		1276.13

4 12 1824

4947

CUSTOMER NAME

1688

INV# 10062

PAGE NO. 4

TICKET NO.

PT#

4747

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT	QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
2	1324026C1	Bolts	.77	1 54	7	P2707-624	Bolt	.29	2 03
12	P2706-030	Nuts	.04	.48	2	P2707-626	Bolt	.33	66
12	P2708-583 2K3265370	Bolts	.18	2 16	6	3PL101	Cover	.65	3 90
10	166667C1	Screw	1.52	15 20	8	1740DDX	50 chain	2.99	23 92
1	564853R11	Collar		4 51	1	241-1315	Conn		70
1	160796C91	Big		13 12	2	204807C91	Big	9.16	18 32
1	203389C91	Big VAD		24 20	2	192789C1	plate	10.03	20 06
2	182684C3	Clp	7.77	15 54	4	P2707-581	Bolt	.15	60
1	1317452C1	Clamp (1660)		29 73	4	P2706-030	Nut	.04	16
30	P2707-581	Flange 3/4 Bolt	.15	4 50	2	462360R1	Flange	1.44	2 88
30	P2706-030	Flange nut	.04	1 20	1	A21619	Cir-Clp		2 16
2	P4767-031	3/8 Nut	.14	28	1	P4767-035	5/8 Lock		49
2	P0501638	3/8 Bolt	.35	70	8	265-13512	Screw	.58	4 64
1	192049C1	Stripper		10 09	2	241-1315	Conn	.70	1 40
4	P4153-031	3/8 Jam	.03	12	1	241-1314	Conn		62
8	P2707-628		.39	3 12	6	1740DDX	50 chain	2.99	20 03
1	866240CH	Bolt		3 02	6	1132027RDX	40 chain	2.64	16 37
1	195293C91	Bearing		129 43	4	396-21066	Washer	.40	2 40
2	P2707-581	Bolt		1 80	2	187218C2	Bolt	3.02	6 04
2	38-11624	Roll pins		2 86	1	194194C1	Car		15 78
2	238-5111	ORing		70	5	191677C1	Car	22.77	113 85
1	J100304	Filter		10 17	4	1308541C1	Auger	131.67	526 68
1	J919562	"		34 74		195293C91	Washer		
1	335341A1	"		15 26		3999605C1	Washer		
1	J903640	"		8 09		195293C91	Washer		
1	SPL 101			65	1	1319899C1	Tube		45 02
1	A162895	Chamber			1	198987A2	Auger		271 22
2	241-1315	Conn		1 40	1	1989340C1	Panel		180 24
2	444-8	Washer	.12	24	1	192065C1	Panel		75 82
2	444-9		.14	28	1	176579C1	Pulley		48 61
1	60-613	Roll pin		1 65	3	P2707 583	Bolt	.19	57
4	495-81065	Washer	.80	3 20	2	2K24241852	Bolt	.22	44
1	1302200C1	Screw		52 32	17	P2708-583 2K3265370	Bolt	.18	1 26
1	Q1443	Key		1 05	12	P2706-030	Nut	.04	48
1	1317474C2	Chamber		10 48	22	P2707-622	Screw	.30	6 60
5	31856	50 Phillips screws	.09	45	8	PL1824	Connector	.95	3 80
1	1347389C2	Auger		280 15	2	P8080-554	Outer pin	.15	30
9	P2706-031	Nuts	.05	45	2	P8080-495	" "	.06	12

1947

CUSTOMER NAME

1688

INV# 10062

PAGE NO. 4

PT#

TICKET NO.

4947

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT	QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
2	1324026C1	Bolts	.77	1.54	7	P2707-624	Bolt	.29	2.03
12	P2706-030	Nuts	.04	.48	2	P2707-626	Bolt	.33	.66
12	P2708-583 ZK3265-370	Bolts	.18	2.16	6	SPL101	Cover	.65	3.90
10	166667C1	Screws	1.52	15.20	8	1740DDX	50 chain	2.99	23.92
1	564853R11	Collar		4.51	1	241-1315	Conn		70
1	160796C91	Big		13.12	2	204807C91	Box	9.16	18.32
1	203389C91	Big VAD		24.20	2	192789C1	plate	10.03	20.06
2	182684C3	Clip	7.77	15.54	4	P2707-581	Bolt	.15	.60
1	1317452C1	Clamp (1660)		29.73	4	P2706-030	Nut	.04	.16
30	P2707-581	5/16 x 3/4 Bolt	.15	4.50	2	462360R1	Flange	1.44	2.88
30	P2706-030	Flange	.04	1.20	1	A21619	Cir-clip		2.16
2	P4767-031	3/8 Nut	.14	.28	1	P4767-035	5/8 Lock		.49
2	P0501638	3/8 Bolt	.35	.70	8	265-13512	Screw	.58	4.64
1	192049C1	Stripper		10.09	2	241-1315	Conn	.70	1.40
4	P4153-031	3/8 Jam	.03	.12	1	241-1314	Conn		.62
8	P2707-628		.39	3.12	6.7	1740DDX	50 chain	2.99	20.03
1	866240C1	Bolt		3.02	6.2	1132027RDX	40 chain	2.64	16.37
1	195293C91	Bearing		129.43	4	396-21066	Washer	.40	2.40
2	P2707-581	Bolt		1.80	2	187218C2	Bolt	3.02	6.04
2	38-11624	Roll pins		2.86	1	194194C1	Car		15.78
2	238-S111	ORing		.70	5	191677C1	Car	22.77	113.85
1	7100304	Filter		10.17	4	1308541C1	Auger	131.67	526.68
1	7919562	"		34.74		1319899C1	Tube		
1	335341A1	"		15.26		1319899C1	Tube		
1	7903640	"		8.09		1319899C1	Tube		
1	SPL101			.65	1	1319899C1	Tube		4.53
1	A162895	Chamber			1	198987A2	Auger		271.22
2	241-1315	Conn		1.40	1	1989340C1	Panel		180.24
2	444-8	Washer	.12	.24	1	192065C1	Panel		75.82
2	444-9		.14	.28	1	176579C1	Pulley		48.61
1	60-613	Roll pin		1.65	3	P2707-583	Bolt	.19	.57
4	495-81065	Washer	.80	3.20	2	2K24241852	Bolt	.22	.44
1	1302200C1	Spkt		52.32	17	P2708-583 ZK3265-370	Bolt	.18	1.26
1	Q1443	Keey		1.05	12	P2706-030	Nut	.04	.48
1	1317474C2	Chamel		10.40	22	P2707-622	Screw	.30	6.60
5	31856	Self tapping screws	.09	4.50	8	PL1824	Connector	.95	3.80
1	1347389C2	Auger		280.15	2	P8080-554	Coiler pin	.15	.30
9	P2706-031	Nuts	.05	4.50	2	P8080-495	"	.06	.12

T# 4947

CUSTOMER NAME

1688

PAGE NO.

TICKET NO.

4947

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT	QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
✓ 1	1329720C2	Spindle		111 81	✓ 4	P4752-031	nut Gnd 8	.07	28
✓ 1		Rebuilt Reverse Motor		225 00	✓ 2	P0501-634 P0501-634	Bolt Gnd	.21	42
✓ 1	131-620	nut		92	✓ 2	P0501-636	Bolt Gnd	.25	50
✓ 1	92260C1	Lamp		30 86	✓ 4	P4767-034	nut	.42	1 68
✓ 1	245193C2	Sensor		41 48	✓ 1	27695A	stand		
✓ 24	P2706-030	Nuts	.04	96	✓ 1	495-21044	Washer		12
✓ 24	P2706-583	Bolts P2708-583	.18	4 32	✓ 4	PL1924		.95	3 80
✓ 24	P2707-581	Bolts	.15	3 60	✓ 3	2K18525572	Bolt	.17	51
✓ 1	156816C91	Bearing		23 47	✓ 4	P2706-030	nut	.04	16
✓ 2	P0501-816	Bolt	1.41	2 82	✓ 2	BMF31G	Battery	94.95	189 90
✓ 1	126-124	Woodruff Key		94	✓ 1	145338C2	Solenoid		257 29
✓ 2	B12170	Ratchet	15.29	30 58	✓ 1	1341330C2	Sender		35 76
✓ 1	1979251C1	SHAFT		53 74	✓ 20	298050A2	Hy-Tran	6.29	125 80
✓ 5	495-81093	Washer	1.61	8 05	✓ 22	407362C3	NO 1 30 wt.	1.35	29 70
✓ 1	187996C1	Magnet		15 32					
✓ 2	1301128C2	Nut	1.84	3 68					
✓ 1	162172C1	Spacer		13 38					
✓ 1	194652C1	Pivot		9 54					
✓ 5	1312476C1	Finger	4.58	22 90					
✓ 1	1338346C1	Retainer		7 62					
✓ 1	1322699C3	Angle Bar		24 08					
✓ 1	5911925	Coupling		2 87					
✓ 10	P2706-030	nuts	.04	40					
✓ 4	131-620	nuts	.92	3 68					
✓ 4	P2708-540	Bolts	.08	32					
✓ 1	1322698C3	Angle Bar		16 94					
✓ 2	495-81069	Washers	.92	1 84					
✓ 1	1308912C3	Tube		65 05					
✓ 1	245364C1	Swivel		34 00					
✓ 2	645342C1	Spacer	2.14	4 28					
✓ 3	187935C1	Strip	2.35	7 05					
✓ 1	P0501-646	Bolt		67					
✓ 1	191592C1	Bolt		21 24					
✓ 2	1347156C1	Clamp	10.28	20 54					
✓ 1	1979900C5	Rail		438 97					
✓ 1	1979901C5	Rail		438 97					
✓ 1	1338345C2	Retainer		7 47					
✓ 2	1327799C2	Bolts	.61	1 22					

#16358

THOMAS IMPLEMENT, INC.

Case I. H. Sales and Service
Ph: 784-5630 - 784-5331 Box 435
ALTAMONT, KANSAS 67330
1-800-530-5428

CASE

CASE

CUST. ACCT. NO.

CUST. ORDER NO.

NAME

Custom Cut

ORDER WRITTEN

BY

RECEIVED

ADDRESS

ADDRESS

PROMISED

TYPE OF MACHINE

Combine

HOURLY METER OR MILEAGE

PHONE

MAKE

CASE IH

SERIAL NO.

MODEL

1688

MOTOR NO.

WORK TO BE DONE

LABOR ONLY
MATERIAL ADDITIONAL

QTY.	PART NUMBER	DESCRIPTION	ON ORDER	UNIT PRICE	AMOUNT
✓ 1	91436C4	Switch			27 77
✓ 2	369742A1	Rod Drive			91 48
✓ 1	193945C2	Cyl Belt			190 92
✓ 2	128298A2	Switch			32 34
✓ 1	1345482C3	Transmitter			32 47
✓ 1	238-5111	orig			36
✓ 1	J942896	Support Rod Fan			166 93
✓ 1	122707-626	Bolt 3/8			33
✓ 3	238-5016	orig			1 50
✓ 2	443-13116	Screw			94
✓ 1	645-342C1	Spacer			2 25
✓ 1	1325325C1	bar			12 71
✓ 1	1325324C1	Seal			9 71
✓ 1	1322458C3	Angle bar			41 82
✓ 2	1327799C2	Screw			1 22
✓ 1	POS 01-636	Golt			25
✓ 6	298050A2	hyfen	4.29		37 74
✓ 2	BA/F	Anti Freeze	4.95		9 90

Danger wait Swing 2u

Rotor Belt

Rotor Limit Switch

Clean Corn Shaft special Transmitter

Replace auger Switch

R&R Rotor belt & Limit Switches

Change tire in water hole.

Misc repairs.

MILEAGE @

OTHER MATERIALS

OIL FUEL GREASE

TOTAL SERVICE

103'5 50

2 gal Anti

TOTAL PARTS

659 64

DYNAMOMETER

PICKUP & DELIVERY

OUTSIDE WORK

OTHER MATERIALS

FUEL, OIL, GREASE

SALES TAX (WHERE APPLICABLE)

TOTAL

OTHER MATERIALS

TOTAL

\$1695 14

I hereby authorize the repair work to be done as described above on the machine(s) named hereon. All repair parts are to be billed at your regular prices. I agree to pay cash for such repair parts and labor on delivery of machine(s) or on terms satisfactory to you and until paid in full any unpaid balance shall constitute a lien on this machinery. I further agree that you will not be held responsible for loss or damage to said machinery from fire, theft or other causes beyond your control.

DATE 7-28-04 SIGNED

WORK DONE BY

TOTAL PARTS

OUTSIDE WORK

TOTAL OUTSIDE WORK

Thank You

INV# R16257A

10838

TY.	PART NUMBER	DESCRIPTION	ON ORDER	UNIT PRICE	AMOUNT
1	1968998C1	Tyre Rd			
	182792C97	Bracket			
	177751C1	Bushing			
1	429-1314	Nut			
1	6062	Quick steel			
	1968998C1				
2	637	Grease Zerk			

TYPE OF MACHINE Combine	HOURMETER OR MILEAGE	PHONE
MAKE 	SERIAL NO.	
	MOTOR NO.	

WORK TO BE DONE	LABOR ONLY MATERIAL ADDITIONAL
------------------------	---

~~Don't know~~
~~Believe it or not~~
~~I'm not~~

Replace bushing in rear axle pivot.

Replace one Tie Rod.

MILEAGE _____		② _____		③ _____	
OTHER MATERIALS		OIL FUEL GREASE		TOTAL SERVICE	
				546 25	
				TOTAL PARTS	
				469 10	
				DYNAMOMETER	
				PICKUP & DELIVERY	
				OUTSIDE WORK	
				OTHER MATERIALS FUEL, OIL, GREASE	
TOTAL		OTHER MATERIALS		SALES TAX (WHERE APPLICABLE)	
I hereby authorize the repair work to be done as described above on the machine(s) named hereon. All repair parts are to be billed at your regular				TOTAL	
				101535	

I hereby authorize the repair work to be done as described above on the machine(s) named hereon. All repair parts are to be billed at your regular prices. I agree to pay cash for such repair parts and labor on delivery of machine(s) or on terms satisfactory to you and until paid in full any unpaid balance shall constitute a lien on this machinery. I further agree that you will not be held responsible for loss or damage to said machinery from fire, theft or other causes beyond your control.

TOTAL	101535
--------------	--------

DATE 6-26-04 SIGNED _____

Thank You

INV# R15437A

10738

WORK DONE BY	TOTAL PARTS		
OUTSIDE WORK			
TOTAL OUTSIDE WORK			