

[My Favorite](#) [Brand](#) [Preferences](#) [Sites](#) [Logoff](#)**International**
Vehicle Information[Home](#) [Publications](#) [Service Reference](#)
[Write Up](#) [Dealer](#) [Warranty](#) [Support](#)

Chassis / VIN Number

[View](#)

Select tab(s) to print

[Print](#)[Summary](#) [Health Report](#) [Managed Repairs](#) [Details](#) [Components](#) [Serial Numbers](#) [Warranty Coverage](#) [SRT](#)
[Warranty History](#) [iKNow Search](#) [Case History](#) [iApprove](#) [iRequest](#)

Vehicle Information			
VIN :	1HTMMAAN93H594439	Order Date :	10/30/2002
Model :	4300 SBA 4X2	Build Date :	12/09/2002
Engine :		DTU Date :	03/12/2003
Application Family :	Tank	Warranty Start Date :	03/12/2003
Application :	Fuel Oil (Tank)	DTU Status :	DTU
Wheel Base :	187.0	DTU Odometer :	3 Miles
DTU Engine Hours :	0	DTU Fuel Used :	0.
GVWR :	33000	Original Gear Ratio :	411
PC Number :	231211021	ⓘ Programmed Gear Ratio :	411 As Of: 12/10/2002
Paint Color Code :	9219	Order Number :	690168
Selling Dealer :	<u>WITT INTL TRUCKS</u> (842898-000)	ⓘ After Frame :	0.0
Customer :	REEF CHEMICAL CO. INC.	Original Customer :	REEF CHEMICAL CO. INC.
Address :	P.O. BOX 11347	Address :	P.O. BOX 11347
City, State Zip :	MIDLAND, TX 79702	City, State Zip :	MIDLAND, TX 79702
Toe (MM/M)	N/A		
Forward Rear / Scrub (MM/M)	N/A		
Rear Rear / Thrust (MM/M)	N/A		

Copyright 2017 Navistar, Inc.

All times are: (UTC-06:00) Central Time (US & Canada)
2017/01/08 23:25 BRKSVW316

My Favorite Brand Preferences Sites Logoff

International
Vehicle Information[Home](#) [Publications](#) [Service Reference](#)
[Write Up](#) [Dealer](#) [Warranty](#) [Support](#)

Chassis / VIN Number

[View](#)

Select tab(s) to print

[Print](#)[Summary](#) [Health Report](#) [Managed Repairs](#) [Details](#) [Components](#) [Serial Numbers](#) [Warranty Coverage](#) [SRT](#)
[Warranty History](#) [iKnow Search](#) [Case History](#) [iApprove](#) [iRequest](#)

Components

VIN : 1HTMMAAN93H594439

143 components found.

[Export](#)

S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description
1	FRAMES	0001CAH	0001CAH	FRAME RAIL 120,000 PSI YIELD 456.0" OAL Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL
2	FRAMES	0001LLD	0001LLD	FRT BUMPER-FULL WIDTH AERO STL Full Width, Aerodynamic, Steel; 0.142" Material Thickness
3	FRAMES	0001WEH	0001WEH	WHEEL BASE RANGE 134" TO 197" 134" (340cm) Through and Including 197" (500cm)
4	FRAMES	0001570	0001570	TWO FRONT TOW HOOKS Frame Mounted
5	FRAMES	0001950	0001950	FRAME PIERCING
6	FRONT AXLES	0002ADC	0002ADC	INTL I-100SG 10K FRT AXLE I-Beam Type, 10,000-lb Capacity
7	FRONT SUSPENSIONS	0003ADB	0003ADB	10,000-LB FRT PARABOLIC TAPER LEAF SUSP Parabolic, Taper Leaf; 10,000-lb Capacity; with Shock Absorbers
8	BRAKES	0004AZA	0004AZA	BENDIX AIR BRAKE ABS Full Vehicle Wheel Control System (4-Channel)
9	BRAKES	0004JBG	0004JBG	15X4 FRT S-CAM W/20" LONG STROKE CHMBRS S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
10	BRAKES	0004NCE	0004NCE	16.5X7 RR W/TR3030 HEAVY DUTY MGM CHMBRS 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake
11	BRAKES	0004SBC	0004SBC	BENDIX TU-FLO 550 AIR COMPRESSOR 13.2 CFM Capacity
12	BRAKES	0004091	0004091	TRUCK DUAL AIR BRK SYSTEM Dual System for Straight Truck Applications
13	STEERING	0005CAL	0005CAL	STRG WHL BLK 2-SPK 2-Spoke, 18" Dia., Black
				1-PWR STRG GEAR SHEPPARD M100

14	STEERING	<u>0005PSA</u>	<u>0005PSA</u>	Power
15	STEERING	<u>0005708</u>	<u>0005708</u>	STRG COL, TILTING Tilting
16	EXHAUST SYSTEMS	<u>0007ACZ</u>	<u>0007ACZ</u>	EXH SGL HORZ/VERT RSM Single, Horizontal Muffler, Vertical Tail Pipe, Aluminized Steel; Includes Tail Pipe Guard; Frame Mounted Right Side BOC, Inside Rail
17	ELECTRICAL SYSTEMS	<u>0008GCS</u>	<u>0008GCS</u>	100 AMP 12V ALT DELCO 22SI Brush Type, 12 Volt 100 Amp. Capacity
18	ELECTRICAL SYSTEMS	<u>0008HAA</u>	<u>0008HAA</u>	BODY BUILDER WIRING END OF FRAME To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
19	ELECTRICAL SYSTEMS	<u>0008MED</u>	<u>0008MED</u>	2-12V 1100CCA BTRY SYS- INTERNATIONAL Maintenance-Free, (2) 12-Volt 1100CCA Total
20	ELECTRICAL SYSTEMS	<u>0008THN</u>	<u>0008THN</u>	TURN SGN SWITCH W/HAZARD LIGHT O'RIDE With Hazard Flasher Overrides Brake, To be Done With Programming System Controller
21	ELECTRICAL SYSTEMS	<u>0008WCK</u>	<u>0008WCK</u>	POWER SOURCE TWO POST TYPE 2-Post
22	ELECTRICAL SYSTEMS	<u>0008WCL</u>	<u>0008WCL</u>	1-AIR HORN BLACK Black, Single Trumpet, Air Solenoid Operated
23	ELECTRICAL SYSTEMS	<u>0008WMA</u>	<u>0008WMA</u>	SPECIAL WIRING F/CUST FURN LITE Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light
24	ELECTRICAL SYSTEMS	<u>0008WPB</u>	<u>0008WPB</u>	2-HEADLIGHTS HALOGEN COMPOSITE AERO Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights
25	ELECTRICAL SYSTEMS	<u>0008WWN</u>	<u>0008WWN</u>	START MOTOR (LEECE NEVILLE M100R) 12-Volt; less Thermal Over-Crank Protection
26	ELECTRICAL SYSTEMS	<u>0008XAH</u>	<u>0008XAH</u>	MANUAL-RESET CIRC BREAKERS (MAIN PANEL) Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
27	ELECTRICAL SYSTEMS	<u>0008000</u>	<u>0008000</u>	ELEC SYS (12 VOLT) 12-Volt, Standard Equipment
28	ELECTRICAL SYSTEMS	<u>0008518</u>	<u>0008518</u>	CIGAR LIGHTER Includes Ash Cup
29	ELECTRICAL SYSTEMS	<u>0008718</u>	<u>0008718</u>	1-POWER SOURCE (CIGAR-TYPE RECEPTACLE) Cigar Type Receptacle without Plug and Cord
30	FRONT END	<u>0009HAD</u>	<u>0009HAD</u>	CHROME GRILLE Chrome
31	FRONT END	<u>0009WAY</u>	<u>0009WAY</u>	FIBERGLASS TILT FE 3 PIECE Tilting, Fiberglass, With Three Piece Construction
32	SPEEDOMETER, TOOLS, MISC	<u>0010NMB</u>	<u>0010NMB</u>	PROMOTIONAL PACKAGE #22 Package No. 22
33	MISC	<u>0010WYY</u>	<u>0010WYY</u>	QUALIFICATION ID FOR DIAMOND SPEC for Diamond SPEC Vehicle
34	SPEEDOMETER, TOOLS, MISC	<u>0010WZD</u>	<u>0010WZD</u>	COMPETITIVE SURCHARGE CREDIT
35	SPEEDOMETER, TOOLS, MISC	<u>0010WZG</u>	<u>0010WZG</u>	EMISSIONS SURCHARGE WAIVER for 5000, 7600, 8600 and 9000 Models
36	SPEEDOMETER, TOOLS, MISC	<u>0010060</u>	<u>0010060</u>	SINGLE COLOR 100 PT SCHEMATIC Single Color, Design 100

37	SPEEDOMETER, TOOLS, MISC	<u>0010210</u>	<u>0010210</u>	EMISSION LABELS (FUEL ECONOMY/NOISE) Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
38	SPEEDOMETER, TOOLS, MISC	<u>0010761</u>	<u>0010761</u>	PAINT-BASE COAT/CLEAR COAT 1-2 TONE Base Coat/Clear Coat, 1-2 Tone
39	CLUTCH	<u>0011LEG</u>	<u>0011LEG</u>	CLUTCH 14" EATON SAS1401 Single Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 8-Spring Coaxial Free Travel Damper, Mechanical Pull-Type Control, With Kwik-Adjust(Manual) Feature; 620 lb-ft Torque Capacity
40	ENGINE	<u>0012NMC</u>	<u>0012NMC</u>	DT466 ST 215HP/225HP PEAK 2600 RPM GOV EPA 1998, Electro-Hydraulic Fuel System, 215 HP @ 2300/2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, 225 Peak HP (Max)
41	ENGINE	<u>0012TSV</u>	<u>0012TSV</u>	FAN DRIVE VISCOUS BORG WARNER SA-75 Viscous Type, Screw On
42	ENGINE	<u>0012UWA</u>	<u>0012UWA</u>	RAD 516" CAC 270" Aluminum, 2-Row, Cross Flow, Over Under System, 516 SqIn, Louvered, With 270 SqIn Charge Air Cooler, 10 Fins per in.
43	ENGINE	<u>0012UXC</u>	<u>0012UXC</u>	2002 FED EMISSIONS INT'L ENGINES N/HT530 for 2002; for International VT366, T444E, DT466 and DT530 Engines
44	ENGINE	<u>0012VBC</u>	<u>0012VBC</u>	SINGLE ELEMENT A/CLEANR Single Element
45	ENGINE	<u>0012VVW</u>	<u>0012VVW</u>	PROVISION F/REMOTE ENG CONTROL F/PTO Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control, for International Engines
46	ENGINE	<u>0012VXT</u>	<u>0012VXT</u>	ENGINE SPEED CONTROL, STEER WHEEL MTD Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
47	ENGINE	<u>0012959</u>	<u>0012959</u>	ENG BLOCK HTR 120V/1250W 120V/1250W
48	TRANSMISSION	<u>0013MCH</u>	<u>0013MCH</u>	TREMEC ES56-7B 7-SPD TRANS SYNCRNZD 7-Speed Manual
49	REAR AXLES, SUSPENSIONS	<u>0014AGH</u>	<u>0014AGH</u>	DANA SPICER 23090S 23K REAR AXLE Single Reduction, 23,000-lb Capacity, 200 Wheel Ends
50	REAR AXLES, SUSPENSIONS	<u>0014VAH</u>	<u>0014VAH</u>	RR SPGS 23.5K V-RATE W/AUX4.5K RUB SPG Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
51	FUEL TANKS	<u>0015SEM</u>	<u>0015SEM</u>	1-FL TK UC STL 70G LT 19"DP D-STY Top Draw; D-Style, Steel, 19" Deep, 70 U.S. Gal., 265 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
52	CABS, COWLS, BODIES	<u>0016HBA</u>	<u>0016HBA</u>	ENGLISH GA CLUSTER W/ENGLISH SPEEDO English With English Electronic Speedometer
53	CABS, COWLS, BODIES	<u>0016JNT</u>	<u>0016JNT</u>	DRIVER SEAT NAT'L Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
54	CABS, COWLS, BODIES	<u>0016PJH</u>	<u>0016PJH</u>	PASSENGER SEAT GRA-MAG Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl

55	CABS, COWLS, BODIES	<u>0016SDJ</u>	<u>0016SDJ</u>	2-MIRRORS W/CONVEX BLACK HEADS Rectangular, Black Heads, Brackets & Arms, Breakaway Type, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing.
56	CABS, COWLS, BODIES	<u>0016WJS</u>	<u>0016WJS</u>	INSTR PANEL CENTER SECTION FLAT Center Section, Flat Panel
57	CABS, COWLS, BODIES	<u>0016WKB</u>	<u>0016WKB</u>	HTR&A/C (INTERNATIONAL BLEND-AIR) With Integral Heater & Defroster
58	CABS, COWLS, BODIES	<u>0016WKY</u>	<u>0016WKY</u>	HVAC FRESH AIR FILTER
59	CABS, COWLS, BODIES	<u>0016WRX</u>	<u>0016WRX</u>	CAB INT TRIM - DELUXE Deluxe
60	CABS, COWLS, BODIES	<u>0016WSE</u>	<u>0016WSE</u>	LOW W/S WASHER FLUID INDICATOR
61	CABS, COWLS, BODIES	<u>0016000</u>	<u>0016000</u>	TRANS COVER, FLOOR MATS, SEALS Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
62	CABS, COWLS, BODIES	<u>0016030</u>	<u>0016030</u>	CAB CONVENTIONAL Conventional
63	WHEELS, TIRES - FRONT	<u>0027DMA</u>	<u>0027DMA</u>	DISC FR WHL 22.5X8.25 PT/STL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
64	WHEELS, TIRES - REAR	<u>0028DMA</u>	<u>0028DMA</u>	DUAL DISC RR WHL 22.5X8.25 PT/STL DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub- Piloted, Flanged Nut, with Steel Hubs
65	WHEELS MISC OPTIONS	<u>0029WLA</u>	<u>0029WLA</u>	50W SYNTHETIC OIL FRT WHL BEARINGS Synthetic Oil
66	WHEELS MISC OPTIONS	<u>0029563</u>	<u>0029563</u>	EATON OUTRUNNER OIL SEALS - FRONT for Oil Lubricated Wheel Bearings
67	WARRANTY	<u>0040AAW</u>	<u>0040AAW</u>	WRNTY STD BAS VEH DSPEC 24/UNL To 24-Month/Unlimited Mileage; Includes Diamond Emergency Breakdown Service; With 90-Day Towing
68	ENGINE MODULE	<u>0070000</u>	<u>0070000</u>	DIAMOND SPEC/SALES MODULE IDENTITY
69		<u>0427DTA</u>	<u>0427DTA</u>	
70		<u>0427DTH</u>	<u>0427DTH</u>	
71	MISC	<u>0504057</u>	<u>0504057</u>	AIR TANK VOLUME ID NOMINAL 3484 Nominal 3484 CuIn System Capacity
72	BRAKES	<u>0504200</u>	<u>0504200</u>	DRAIN VALVE 3 PETCOCKS (3) Petcocks, for Air Tanks
73	BRAKES	<u>0504306</u>	<u>0504306</u>	R/S AUTO-SLACK ADJSTRS-FRONT Automatic
74	BRAKES	<u>0504355</u>	<u>0504355</u>	R/S AUTO-SLACK ADJSTRS-REAR Automatic
75	BRAKES	<u>0504435</u>	<u>0504435</u>	MERITOR R301 REAR BRAKE LININGS S- Cam Type; Non-Asbestos
76	BRAKES	<u>0504438</u>	<u>0504438</u>	MERITOR MA212 FRONT BRAKE LININGS Non-Asbestos for S-Cam Brake
77	BRAKES	<u>0504441</u>	<u>0504441</u>	MERITOR Q-PLUS FRONT BRAKE
78	BRAKES	<u>0504442</u>	<u>0504442</u>	MERITOR Q-PLUS REAR BRAKE
79	BRAKES	<u>0504603</u>	<u>0504603</u>	LOCATE 2 AIR TANKS Mounted Under Battery Box, Outside Right Rail, Under Cab
80	DRIVELINES	<u>0506001</u>	<u>0506001</u>	TRANSMISSION OUTPUT YOKE REAR REAR AXLE INPUT YOKE or Single

81	DRIVELINES	<u>0506010</u>	<u>0506010</u>	Rear Axle Input
82	DRIVELINES	<u>0506100</u>	<u>0506100</u>	DRIVELINE LABOR for Driveline Labor
83	DRIVELINES	<u>0506102</u>	<u>0506102</u>	FIRST CENTER BEARING
84	DRIVELINES	<u>0506110</u>	<u>0506110</u>	CENTER BEARING MOUNTING PARTS
85	ELECTRICAL SYSTEMS	<u>0508001</u>	<u>0508001</u>	BATT BOX STL RSM UC 3 CAP Steel With Plastic Cover, Up to 3 Battery Capacity, Mounted Right Side Under Cab
86	ELECTRICAL SYSTEMS	<u>0508010</u>	<u>0508010</u>	AIR SOLENOID 4-PAK NO ECU OR J1939 4-Pak, Electric Operated, Does Not Include an ECU or J1939 Communications
87	ELECTRICAL SYSTEMS	<u>0508014</u>	<u>0508014</u>	STOP TURN TAIL B/U INSIDE RAIL Tail Lights Located on Inside of Frame Rail
88	SPEEDOMETER, TOOLS, MISC	<u>0510000</u>	<u>0510000</u>	BULK MATERIAL
89	MISC	<u>0510002</u>	<u>0510002</u>	SERVICE ASM; CAB, DCM, HARNESS, IP
90	SPEEDOMETER, TOOLS, MISC	<u>0510908</u>	<u>0510908</u>	RED EXTENDED LIFE COOLANT EFFECTS for Red Extended Life Coolant Effects
91	SPEEDOMETER, TOOLS, MISC	<u>0510910</u>	<u>0510910</u>	VEPS IDENTITY NGV REQUIRES FOR I6 ENGINE NGV Programming Requirements for International I6 Engines
92	CABS, COWLS, BODIES	<u>0516003</u>	<u>0516003</u>	CAB ACCESS 2 STEPS PER DOOR REG/EXT CAB Driver & Passenger Sides, Two Steps Per Door, for use with Regular and Extended Cabs Not with 13" Deep Fuel Tanks
93	CABS, COWLS, BODIES	<u>0516100</u>	<u>0516100</u>	MIRROR, CONVEX LEFT ONLY Left Side Only, 7 3/4", In Addition to Standard Right Side Convex Mirror
94	CABS, COWLS, BODIES	<u>0516104</u>	<u>0516104</u>	MIRROR STYLE RECTANGULAR NON AERO Rectangular, Non-Aerodynamic
95	MISC	<u>0530100</u>	<u>0530100</u>	TIRES
96	BODY & CHASSIS PAINT	<u>0535001</u>	<u>0535001</u>	PAINT COLOR GROUP NO. 01 No. 01
97	BODY & CHASSIS PAINT	<u>0535007</u>	<u>0535007</u>	PAINT CHASSIS COLOR GROUP NO. 07 No. 07
98	BODY & CHASSIS PAINT	<u>0535011</u>	<u>0535011</u>	IDENTITY CODE FOR STD PAINT COLORS ONLY for Internal Order Coding
99	MISC	<u>0595008</u>	<u>0595008</u>	ESC PROG AIR PRESSURE GAUGE/AIR BRAKE Primary & Secondary, for Air Brake Chassis
100	MISC	<u>0595009</u>	<u>0595009</u>	ESC PROG ABS WARN LIGHT NOT TRAILER With ABS Warning Light, With Full Power Hydraulic and Air Brake Systems, Not Including Trailer
101	MISC	<u>0595014</u>	<u>0595014</u>	ESC PROG PARK BRAKES WIND LIGHT With Air and Hydraulic Brakes
102	MISC	<u>0595015</u>	<u>0595015</u>	ESC PROG BRAKES SWITCH Preprocessing
103	MISC	<u>0595018</u>	<u>0595018</u>	ESC PROG HEADLIGHTS DAY/RUN Includes Daytime Running Lights, Lights on With Wipers and Flash to Pass
104	MISC	<u>0595021</u>	<u>0595021</u>	ESC PROG TURN SIGNAL/BRAKE Hazard Lights With Stop Overriding Hazard or Hazard Overriding Stop
105	MISC	<u>0595022</u>	<u>0595022</u>	ESC PROG AIR HORN W/ OR WITHOUT SWITCH with or without Auxiliary Air horn Switch
				ESC PROG ELECTRIC HORN CITY

106	MISC	<u>0595023</u>	<u>0595023</u>	KEYLESS ENTR with and without Keyless Entry Effects
107	MISC	<u>0595024</u>	<u>0595024</u>	ESC PROG DOME LITE W/DIM & KEYLESS ENTRY Includes Theater Style Dimming and Keyless Entry Effects
108	MISC	<u>0595026</u>	<u>0595026</u>	ESC PROG CRUISE CONTROL IND LIGHT
109	MISC	<u>0595027</u>	<u>0595027</u>	ESC PROG DIAGNOSTICS
110	MISC	<u>0595029</u>	<u>0595029</u>	ESC PROG WINDSHIELD WIPER Includes Hi, Lo and Intermittent Speeds Plus Washer Effects
111	MISC	<u>0595030</u>	<u>0595030</u>	ESC PROG TRAILER MARKER LIGHT Operates Trailer Marker Lights on With Tractor Parking Lights
112	MISC	<u>0595031</u>	<u>0595031</u>	ESC PROG IGNITION KEY OR KEYLESS Keyed or Keyless Ignition
113	MISC	<u>0595037</u>	<u>0595037</u>	ESC PROG CLUTCH SWITCH Preprocessing
114	MISC	<u>0595048</u>	<u>0595048</u>	ESC PROG LO WASHER FLUID W/LIGHT With Indicator Light
115	MISC	<u>0595049</u>	<u>0595049</u>	ESC PRG ELET PRAM DEFL SET WALL UNIT Required By All Units
116	MISC	<u>0595050</u>	<u>0595050</u>	ESC PROG REFRIGERANT CONTROL HVAC Controls Cycling of Air Conditioning Compressor and Engine Fan
117	MISC	<u>0595052</u>	<u>0595052</u>	ESC PROG SINGLE FUEL GA SENSOR Single Fuel Tank or Dual Fuel Tanks With One Fuel Level Sensor
118	MISC	<u>0595061</u>	<u>0595061</u>	ESC PROG VOLTMETER
119	MISC	<u>0595063</u>	<u>0595063</u>	ESC PROG SEAT BELT IND LIGHT
120	MISC	<u>0595066</u>	<u>0595066</u>	T/R DATA ENGINE OIL PRESS GAUGE
121	MISC	<u>0595067</u>	<u>0595067</u>	T/R DATA ENGINE COOLANT TEMP GA
122	MISC	<u>0595068</u>	<u>0595068</u>	ESC PROG BATT FEED FUES DET
123	MISC	<u>0595069</u>	<u>0595069</u>	T/R DATA VEHICLE SPEED GAUGE (Speedometer)
124	MISC	<u>0595079</u>	<u>0595079</u>	T/R DATA WARNING LIGHTS
125	MISC	<u>0595080</u>	<u>0595080</u>	ESC PROG AIR SOLENOID POWER
126	MISC	<u>0595083</u>	<u>0595083</u>	ESC PROG CRUISE CONTROL SWITCH STATE State
127	MISC	<u>0595085</u>	<u>0595085</u>	ESC PROG GAUGE CLUSTER ALARM HANDLER Handler
128	MISC	<u>0595088</u>	<u>0595088</u>	ESC PROG PTO ENGAGED IND LIGHT
129	MISC	<u>0595095</u>	<u>0595095</u>	ESC PROG ENGINE STATE
130	MISC	<u>0595102</u>	<u>0595102</u>	ESC PROG CRUISE/RESCM OUTPUT HANDLER
131	MISC	<u>0595103</u>	<u>0595103</u>	ESC PROG HARDWARE CONFIG DATA
132	MISC	<u>0595104</u>	<u>0595104</u>	ESC PROG NETWORK CONFIG DATA
133	MISC	<u>0595105</u>	<u>0595105</u>	ESC PROG IP CONFIG DATA
134	MISC	<u>0595112</u>	<u>0595112</u>	T/R DATA NO PRNDL
135	MISC	<u>0595130</u>	<u>0595130</u>	T/R DATA, ENGINE TYPE INTERNATIONAL
136	MISC	<u>0595137</u>	<u>0595137</u>	ESC PROG, HAZARD LT OVERRIDE BRAKES LT Brake Lights
137	MISC	<u>0595154</u>	<u>0595154</u>	ELECTRICAL SYSTEM CONTROLLER

				HITACHI With Hitachi Processor
138	MISC	<u>0595162</u>	<u>0595162</u>	ESC PROG OMIT STOP/TURN DIAGNOSTICS Diagnostics
139	MISC	<u>0595168</u>	<u>0595168</u>	ESC PROG WORK LITE DIAGNOSTICS OMIT Omit
140	MISC	<u>0595208</u>	<u>0595208</u>	T/R DATA, ENGINE SPEED GAUGE Tachometer 4000 RPM
141	MISC	<u>0595250</u>	<u>0595250</u>	ESC PROG WORK LITE W/TIMER/KEYLESS ENTRY Includes Keyless Entry and Timer Function Effects, (2) Default Switch Located in Wing Panel
142	MISC	<u>0595251</u>	<u>0595251</u>	ESC PROG PARKING/MARKER W/15AMP FUSE Tail Clear Lights, with or without Marker Interrupt Switch, Includes 15 amp Fuse
143		<u>0730269</u>	<u>0730269</u>	

Copyright 2017 Navistar, Inc.

All times are: (UTC-06:00) Central Time (US & Canada)
2017/01/08 23:25 BRKSVW316