

6.0 PID Readout Form

All reading observed at operating temperature after driving with exception of FICM volts cold cranking that was observed at ambient temperature after setting at least 12hr.

Vehicle 2006 F-250 Green

Milage: 211131 Date: 12-3-18

FICM Volts Cold Cranking	<u>48.0V</u>	Studs: <u>yes</u>	Type: <u>ARP</u>
Oil Temp:	<u>190°</u>	EGR Delete: <u>yes</u>	Type: <u>unknown</u>
Coolant Temp:	<u>192°</u>	Tuner: <u>no</u>	Type: <u>—</u>
FICM Volts:	<u>48.5V</u>		
Battery Volts:	<u>13.5V</u>		
ICP Pressure:	<u>580.0</u>		
IPR %:	<u>26%</u>		
Trans Temp:	<u>138°</u>		

Injector Buzz test: Pass

Codes:

P0405 Egr A circuit low (egr delete)

Notes:

.040 Bore
 New Bearings / seals
 new oil cooler 2018
 new Pistons
 ARP studs
 Full Valve Job on replacement Heads

WAP Head starts

3 yr Belts

Check 3 yr 1000

Class # 0

Class # 8

11 2 11 2

11

pp 2/10 600
A 10 10

DE8790

Year	Point of Sale	Engine	Tire Size	Page 1
Make	P.O.S.	TransInfo		
Model		Job Type	Date Started	11/01/18
License #		Odometer In	Date Completed	11/02/18
Vin #		Odometer Out	Invoice #:	2057

Part Number	Qty	Description	Price	Extension
LABOR				
37	1.00	32 VALVE V8 DIESEL VALVE JOB		
22	8.00	REBORE ENGINE BLOCK 6.0L .040 OVER TWO CUT.		
1	2.00	RESERFACE HEAD 6.0L DIESEL HEADS		
13	2.00	POLISH CARNK		
11	5.00	INSTALL CAM BEARINGS IN BLOCK		
			LAE	

Sub Total -
Sales Tax
Total

Estimate good for 30 days. Not responsible for damage caused by theft, fire or acts of nature. I hereby authorize the above repairs, including sublet work, along with the necessary materials. You and your employees may operate my vehicle for the purpose of testing, inspection and delivery at my risk. If I cancel repairs prior to their completion for any reason, a teardown and reassemble fee of \$_____ will be applied.

x _____ Date _____

Order Confirmation

DEB 290

Order Number: 0005206296
Order Date: 10/24/2018
Confirm No:
Salesperson: |
Customer: |
Print Time:
Terms: |

Customer PO:

Sold To:	Ship To:
-----------------	-----------------

CUTTING EDGE DIESEL LLC

CUTTING EDGE DIESEL LLC

06 Green
 05 Blue

Item	Description	Qty	Ship Qty	Back Order	UOM	Unit Price	Amount
1	MCICB-1814P-.25MM Connecting Rod Bearing Set Ford / International V8 6.0L Diesel 2003-09	8	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							
2	MCIMS-2223P Main Bearing Set Ford / International V8 6.0L Diesel 2003-09	2	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							
3	MC1213-1725 Hydraulic Valve Lifter GMC Pass. and Truck 4.3L Dies. 307 350N Dies. 379 (6.2L) Diesel Engs.For	16	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							
4	MCICS54450 Conversion Set Ford Truck V8 363 (6.0L) Diesel (Powerstroke) 2003-2010.	2	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							
5	MCIMIS19311 Intake Manifold Installation Kit Ford Truck V8 363 (6.0L) Diesel (Powerstroke) 2003-2010. MIS KIT	1	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							
6	MCIGS33593 Cylinder Head Dowel Navistar/International 6.0L Powerstroke 18mm to 20mm Stepped Cylinder Head	2	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							
7	MCI54450A Cylinder Head Gasket Ford Truck V8 363 (6.0L) Diesel Powerstroke (18mm dowel pin size)	2	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							
8	MCICB-1814P(8) Connecting Rod Bearing Set Ford / International V8 6.0L Diesel 2003-09	1	0	0	Each		
Warehouse: Texas Warehouse							
Ship Via: UPS Ground							

Prepayments:

Net Order:
 Freight:

Sales Tax:

Balance: USD _____



06 Green DE8798

Details for Order #112-5757039-1817036

[Print this page for your records.](#)

Order Placed: October 24, 2018

Amazon.com order number: 112-5757039-1817036

Order Total: :

Not Yet Shipped

Items Ordered

Price

1 of: *ARP 250-4202 Stud Kit*

Sold by: Amazon.com Services, Inc

Condition: New

1 of: *6.0L Powerstroke STC HPOP Fitting Update Kit Fits Ford F250, F350, F450, F550 Vehicles - Replaces Ford # 4C3Z-9B246-F - High Pressure Oil Pump - 6.0 Powerstroke Diesel - 2004.5, 2005, 2006, 2007*

Sold by: GWA Auto Parts ([seller profile](#))

Condition: New

1 of: *Genuine Ford 6E7Z-9A332-B Fuel Supply Tube*

Sold by: Wholesale Direct Parts ([seller profile](#))

Condition: New

Models

Sold by: Amazon.com Services, Inc

Condition: New

Shipping Address:

Shipping Speed:

Two-Day Shipping

Payment information

Payment Method:

MasterCard | Last digits:

Item(s) Subtotal:

Shipping & Handling:

Billing address

Total before tax:

Estimated tax to be collected:

Grand Total: \$658.26

To view the status of your order, return to [Order Summary](#).

Order Confirmation

DEB790

Order Number: 0005205355
 Order Date: 10/24/2018
 Confirm No:
 Salesperson:
 Customer:
 Print Time:
 Terms:

06 Green

Customer PO:

Sold To:	Ship To:
----------	----------

CUTTING EDGE DIESEL LLC

Item	Description	Qty	Ship Qty	Back Order	UOM	Unit Price	Amount
1	MC1224-3503WR.040 Drop Shipped From Manufacturer	8	0	0	Each		
<p>MUST ORDER QTY 8 Piston With Rings FO 6.0L DIESEL V8 (144060-040) W/PCR</p> <p>Drop Ship orders from this manufacturer cannot be canceled. Ship Via: Fedex Ground (Drop Ship)</p>							
2	MCISH-1996S Warehouse: Texas Warehouse	1	0	0	Each		
<p>Camshaft Bearing Set Ford / International V8 6.0L-6.4L Turbo Diesel 2003-09</p> <p>Ship Via: Fedex Ground</p>							
3	MCISS45952 Warehouse: Texas Warehouse	2	0	0	Each		
<p>Valve Stem Seal Ford Truck V8 363 (6.0L) Diesel (Powerstroke) 2003-2010</p> <p>Ship Via: Fedex Ground</p>							

Prepayments:

Net Order:
 Freight:

Sales Tax:

Balance: USD _____



O6 Green

DE8790

Final Details for Order #112-4425828-1033015

[Print this page for your records.](#)

Order Placed: September 20, 2018
Amazon.com order number:
Seller's order number
Order Total: !

Shipped on September 21, 2018

Items Ordered

Price

1 of: *Power Stop KCOE1799 Autospecialty 1-Click OE Replacement Brake Kit with Calipers* \$282.35
Sold by: JEGS ([seller profile](#))

Condition: New

Shipping Address:

Matt Kubik
14451 E GATE RD
NEWKIRK, OK 74647-8302
United States

Item(s) Subtotal:
Shipping & Handling:

Total before tax:
Sales Tax:

Shipping Speed:
Standard Shipping

Total for This Shipment: \$296.94

Payment information

Payment Method:

Item(s) Subtotal:
Shipping & Handling:

Billing address

Total before tax:
Estimated tax to be collected:

Grand Total: \$296.94

Credit Card transactions

MasterCard ending

September 21, 2018: \$296.94

To view the status of your order, return to [Order Summary](#).

[Conditions of Use](#) | [Privacy Notice](#) © 1996-2018, Amazon.com, Inc. or its affiliates



Customer:
Cust PO No
Ship From:

Page: Page 1 of 2

Ship To: CUTTING EDGE DIESEL LLC

Box: 1	Description: 26x26x12	Length: 26.00	Width: 26.00	Height: 12.00
Box: 2	Description: 26x26x12	Length: 26.00	Width: 26.00	Height: 12.00

Shipment	Ship Via	Ship Date	Create User ID
0005762431	UPS Ground	10/24/2018	hunter.jensen

Quantity	UOM	Item	Description
✓ 8.00	Each	MCICB-1814P-.25MM	Connecting Rod Bearing Set Ford / International V8 6.0L Dies 2003-09 Pick List: 0002467848 Freight: Calculated
Length: 3.19	Width: 2.25	Height: 1.25 UnitWeight: 0.20	
Box: 1	QtyInBox: 6		
Box: 2	QtyInBox: 2		
✓ 2.00	Each	MCIMS-2223P	Main Bearing Set Ford / International V8 6.0L Diesel 2003-09 Pick List: 0002467848 Freight: Calculated
Length: 4.69	Width: 4.69	Height: 2.63 UnitWeight: 1.42	
Box: 1	QtyInBox: 2		
✓ 16.00	Each	MCI213-1725	Hydraulic Valve Lifter GMC Pass. and Truck 4.3L Dies. 307 350N Dies. 379 (6.2L) Diesel Eng. For Pick List: 0002467848 Freight: Calculated
Length: 3.50	Width: 1.75	Height: 1.75 UnitWeight: 0.40	
Box: 1	QtyInBox: 6		
Box: 2	QtyInBox: 6		
Box: 3	QtyInBox: 4		
2.00	Each	MCICS54450	Conversion Set Ford Truck V8 363 (6.0L) Diesel (Powerstroke 2003-2010. Pick List: 0002467848 Freight: Calculated
Length: 24.75	Width: 15.50	Height: 2.00 UnitWeight: 3.00	
Box: 1	QtyInBox: 1		
Box: 2	QtyInBox: 1		
✓ 1.00	Each	MCIMIS19311	Intake Manifold Installation Kit Ford Truck V8 363 (6.0L) Diesel (Powerstroke) 2003-2010. MIS KIT Pick List: 0002467848 Freight: Calculated
Length: 24.00	Width: 8.75	Height: 0.25 UnitWeight: 1.80	
Box: 1	QtyInBox: 1		
✓ 2.00	Each	MCIGS33593	Cylinder Head Dowel Navistar/International 6.0L Powerstroke 18mm to 20mm Stepped Cylinder Head Pick List: 0002467848 Freight: Calculated
Length: 6.50	Width: 4.00	Height: 1.00 UnitWeight: 0.10	
Box: 1	QtyInBox: 2		
✓ 2.00	Each	MCI54450A	Cylinder Head Gasket Ford Truck V8 363 (6.0L) Diesel Powerstroke (18mm dowel pin size) Pick List: 0002467848 Freight: Calculated
Length: 24.00	Width: 8.70	Height: 0.25 UnitWeight: 1.50	
Box: 1	QtyInBox: 2		
Comments:			
10/24/2018 1:32:09PM			

Shipment No *DE 9790*



0005762431

Cart ID



232467848

Customer: 04CUTTI02

Page: Page 2 of 2

Cust PO No

Ship From:

Ship To: CUTTING EDGE DIESEL LLC

Box: 1 Description: 26x26x12 Length: 26.00 Width: 26.00 Height: 12.00

Shipment Ship Via Ship Date Create User ID

0005762431

UPS Ground

10/24/2018

Quantity UOM Item Description

✓ 1.00

Each

MCICB-1814P(8)

Connecting Rod Bearing Set Ford / International V8 6.0L Dies
2003-09

Length: 5.00

Width: 4.00

Height: 2.00 UnitWeight: 2.00

Pick List: 0002467848

Freight: Calculated

Box: 1

QtyInBox: 1

Comments:

10/24/2018 1:32:09PM

DE 9790

INVOICE

Date: Nov 2, 2018

Balance Due: \$

Cutting Edge Diesel LLC

Bill To:

Item	Quantity	Rate	Amount
6.0 18mm head	2		
6.0 injector	3		

Subtotal

Total

INSTALLATION METHOD FOR HEAD STUD KITS

Part Number: 250-4202 Application: Ford 6.0L Powerstroke Diesel

1. Always verify the part number for your application with the part number on the side of box and the part number on the instruction sheet. This will help ensure you have the correct installation procedure for your specific application before installing any components.
2. Clean and inspect all hardware prior to installation. Look for obvious defects or shipping damages, plus proper fit, length and dimension.
3. To ensure proper thread engagement and accurate torque readings, clean ALL threads in the block. Chase if necessary with a Thread Chaser.
4. If the cylinder head studs protrude into a water jacket, lubricate the block threads of the studs with ARP THREAD SEALER.
5. Screw studs into the block "HAND TIGHT ONLY".
NOTE: LOCTITE MAY BE USED IF A PERMANENT MOUNTING OF THE STUDS IS PREFERRED. THE FASTENERS, HOWEVER, MUST BE TORQUED PRIOR TO THE LOCTITE SETTING UP.
6. Install the cylinder head(s) and check for binding or misalignment.
7. Lubricate the stud threads, nuts and washers with ARP ULTRA-TORQUE FASTENER ASSEMBLY LUBRICANT. Then install the washers and the nuts onto the studs and tighten them hand tight. **ARP recommends using the ARP ULTRA-TORQUE FASTENER ASSEMBLY LUBRICANT that is provided with each kit as opposed to motor oil. This is due to higher friction on the studs as well as inconsistencies in the clamping force of the fasteners when motor oil or other low quality lubricants are used.**

PRELOAD (TORQUE) RECOMMENDATIONS


8. Following the manufacturers recommended torque sequence tighten the nuts in three equal steps to the following specifications with ARP ULTRA-TORQUE FASTENER ASSEMBLY LUBRICANT.

M14 studs (1-10) 210 ft lbs

8mm bolts (11-15) 25 ft lbs (sold separately)

Note: ARP Ultra-Torque Fastener Assembly Lubricant has been specifically designed to reduce tension preload scatter and eliminate the need to cycle high performance engine fasteners before final installation. ARP Ultra-Torque far surpasses all requirements offered by previous ARP lubricants in terms of fastener preload repeatability and performance lubricating properties. For more information on ARP Ultra-Torque visit our website at www.arp-bolts.com or call 1 800-826-3045.

Bolt Torque Sequence



DE8798

Detailed Vehicle Specification - 1FTSW21P06ED05721		6:00:28 PM
Description	2006 F-250	
Production Date	2006/02/20	
Brand	F	FORD
Product Type	T	TRUCK
Vehicle Line	VLF7	F-Super Duty
Fuel Type	D	DIESEL
Body Cab Style	CABC	Crew Cab
Version/Series	SEBD	250 SERIES
Plant of Manufacture	AAGA1	KENTUCKY TRUCK PLANT (USE AAGA
Engine	ENYB	6.0L OHV Diesel V8
Transmission	TRBE	5 Speed Auto 5R110W - HI/Torqu (IND=A)
Drive Type	DR0E	4 WHL L/H PART TIME DRIVE
Axle Ratio	EGAJB	3.73 FINAL DRIVE RATIO
Emissions	DGAAE	50 STATE EMISSION REQS
Air Conditioning	AC0B	MANUAL AIR CONDITIONER
Tire Size	D3KCD	LT265/70/R17E A/T OWL

Build Information

000BY	MEDIUM PEBBLE
5SK00	F7 -S-C -BRICK CLOTH-
A1NAB	BLOCKER BEAM-UNDERBODY FRT END
A3DAA	LESS FRONT FENDERS
A59AE	CAB BACK PNL LESS STOWAGE COMP
A7EAB	TAILGATE LOCK
A9CBB	6 3/4" STYLESIDE BOX-STEEL
A9JAH	P/BOX T/DWN HOOKS-CHROME INS
A9KAB	LOAD BOX EDGE PROTECTORS
AA3BE	BASE PAYLOAD PK
AA5I6	156"/3962MM WHEELBASE
AAAAD	XLT VERSION
AACAJ	HIGH CLASS PACK
AAGA1	KENTUCKY TRUCK PLANT (USE AAGA
AAHAB	U.S. SALES
AAKAB	SECURITY LOCK GROUP
AALAC	CAMPER PACKAGE
AAZNS	10,000 LB. GVW
AB2AA	LESS APPEARANCE GROUP
ABDAA	LESS MILITARY RQMTS

ABFAK	EXTERIOR APPEARANCE - LEVEL 1
ABKAB	POWER EQUIPMENT GROUP
ABTAA	LESS AMBIENT TEMP/SPEED PACK
AD2AB	FEATURE CONTENT GROUP 1
AD6DB	2006 JOB #2 PROGRAM CONTROL
ADKAB	KENTUCKY TRUCK PLNT BUILD ONLY
ADLAA	LESS NORTH AMERICAN PLNT BUILD
AEAAE	ENGLISH LANGUAGE LABEL
AEDAB	OWNER HAND BOOK PACK
AHDAK	2 TON MECHANICAL JACK
B2CAC	POWER FRONT SIDE WINDOWS
B2DAC	POWER REAR SIDE WINDOW
B2GAE	PRIVACY GLASS
B3HAD	SLIDING REAR WINDOW
B5VAA	LESS OVERHEAD CONSOLE
B5WAA	LESS FLOOR MOUNTED CONSOLES
BB7AC	ADJUSTBLE ACCL/BRK FOOT PEDALS
BBHAB	FRONT THROW IN CARPET FLR MATS
BBKAH	FLR CVR-CARPET INS-COMPLETE
BCAAL	SUNVISOR,SINGLE-DRIVER W/STRAP
BCBAC	SUNVISOR,SINGLE-PASS MR INSERT
BCMAD	DOOR TRIM PANEL-LEVEL 3
BCPAD	GRAB HANDLE SIDE DR PLASTIC
BLDAB	CHROME GRILLE
BMCAA	LESS EXTERIOR WHEELIP MOLDING
BMLAE	LOWER B/S MLDG
BPLAQ	SD AUX STE-CURV TUB CR W/O LTS
BSBAB	DAY/NIGHT INSIDE MIRROR
BSHBK	DU TLSCP TTW PWR HTD DS RLTS
BSLAD	EXT MIRROR FINISH-CHROME
BY1AA	LESS TEMP CONTROL DRIVER SEAT
BY2AA	LESS TEMP CONTROL PASSNGR SEAT
BYBAM	SECOND ROW 60/40 (3 P)-FOLDING
BYPAC	POWER 6-WAY DRIVER SEAT ADJUST
BYQAC	POWER 6-WAY PASS SEAT ADJUST
C1CAH	TRAILER TOW PREP PACK
C1DAC	TRAILER TOW CLASS III RECEIVER
C1UAD	FRONT TOW HOOKS - CHROME
CAAAB	EXTERIOR DOOR HANDLE-BLACK
CBAAB	POWER DOOR LOCKS

CBFAB	DOOR ENTRY REMOTE CNTR UNIT
CBGAD	KEYLESS ENTRY-KEY FOB
CHAAA	LESS ROOF OPENING PANELS
CJBAA	LESS TU-TONE ACCENT COLOR
CJDAA	LESS BODY TU-TONE PAINT
CLFHD	FRT BMP CHROME/PAINTED A-GLOSS
CLMAE	REAR BUMPER-STEEL STEP-CHROMED
CPBAB	ACTIVE SEAT BELTS-FRONT
CPGAB	AIR BAG RESTRAINT-DRIVER
CPHAB	AIR BAG RESTRAINT-PASS
CPIAB	ADJUSTIBLE'D' RING-DRV SEAT
CPQAA	LESS PASS AIR BAG DEACTIVATION
CPRAB	ADJUSTABLE D RING-PASS SEAT
CSHAB	FRAME MOUNTED TIRE CARRIER
D17AN	SPARE- CONVENTIONAL ROAD WHEEL
D1DAV	PREMIUM OFF ROAD FRONT SHOCKS
D1GAV	PREMIUM OFF ROAD REAR SHOCKS
D2AAB	SINGLE REAR WHEELS
D2YDC	7.5 X 17 CHROME STEEL WHEEL
D3KCD	LT265/70/R17E A/T OWL
D3ME9	SP TIR-LT265/70R/17E A/T BSW
D5DAB	BRIGHT HUB COVERS
DEBAF	IMMERSION HEATER-ENGINE
DGAEE	50 STATE EMISSION REQS
DWABG	MONOBEAM SUSPENSION - NARROW
DWDAA	LESS STABILIZER PACKAGE
DWEAA	LESS ATTITUDE/RIDE HEIGHT PACK
DYAAE	STANDARD DUTY FRT SUSPENSION
DYKAB	FRONT STABLIZER BAR
DZBBB	SINGLE LEAF REAR AUXILIARY SPR
DZLAB	REAR STABLIZER BAR
DZNAA	LESS REAR AXLE PACKAGE
EGAJB	3.73 FINAL DRIVE RATIO
EGJAC	LIMITED SLIP REAR AXLE
F4AAB	CATALYTIC CONVERTER-#1
F5BAC	CHROME EXHAUST EXTENSION
FBAAJ	POWR 4-WHEEL DISC HYDRO BOOST
FDDAD	INTEGRATED BRAKE CONTROL
FEAAB	4 WHL ANTI-LOCK BRAKES
FF1AB	NORMAL FUEL FILL

FMJAB	TRANS PWR TAKEOFF PROVISION
FMLAC	ELECTR TRANS CASE & AUTO HUBS
FMNAB	SKID PLATES
FS00S	SEATS - INDIVIDUAL 40/20/40
GBAAF	MID-SHIP FUEL TANK
GBTAB	NON LOCKING FUEL CAP
GBVAJ	DIESEL FUEL CAPABILITY
GRAAC	TILT STEERING WHEEL
GTAAB	STEERING WHEEL-BASE
GTDAB	SPEED CONTROL
HDHAB	MPH/KPH SPEEDOMETER
HKAAB	INSTRUMENTATION PACK
HLHAA	LESS PROXIMITY SENSOR
HTAAC	HEAVY DUTY BATTERY
HUAAC	HEAVY DUTY ALTERNATOR
IBAAU	ELETR PREM AM/FM STRO/DISC
IBMAB	NAAO RADIO FREQUENCY
JBCAA	LESS DAYTIME RUNNING LAMPS
JBDAD	AERO HEADLAMPS
JBKAB	FRONT FOG LAMPS
JBPA A	LESS RF MARKER/CLEARANCE LIGHT
JCCAB	ENGINE COMPARTMENT LIGHT
JCGAC	DUAL BEAM DOME MAP LIGHT
JDAAB	TAILLAMPS-LEVEL 1
JDDAB	HIGH MOUNTED STOP LAMP
JEDAC	AUTOMATIC HEADLAMP CONTROL OFF
JZJAA	LESS SPARE ACCESSORY SWITCHES
MDOOF	NO DESCRIPTION AVAILABLE
PNPAE	DK GREEN SATIN WB
SATAB	GENERIC COUNTRY GROUP 1
TAHBI	F81A-5310-AGD (5600 LB.)
TAIBI	F81A-5310-AGD (5600 LB.) #2
TAPAA	TAPAA
TAQAA	LESS B&A CONTROL CODES (9270)
TASAA	NO DESCRIPTION AVAILABLE
TBKDK	DECAL-FX4 SRW ARIZ BEIGE/RED
WANAB	USA
XAENX	EXCEPT NORWAY
XAFAB	EXC GVMT SERVICE ADMIN
XAHAE	NO DESCRIPTION AVAILABLE

DE 8790

XANAC	EXCEPT CANADA
XAPAB	EXCEPT AUSTRALIA
XASAD	EXCEPT VENEZUELA
XATAB	EXCEPT GUAM
XSAAA	EXCEPT BAHRAIN
XSCAB	EXCEPT BELIZE
XSIAA	EXCEPT ANTIGUA
XSPAD	EXCEPT CHINA
XSSAB	EXCEPT ARUBA
YBCA6	MRKTG BODY CODE-W21
YCBAB	TILT STRG/SPD CONTROL
YCKAB	MRKT COMB-6 WAY ST ADJ-DRV/PAS
YCLAA	LESS MK CB-TEMP CONTR ST-DR/PA
YCMAB	40/20/40 SPLIT/CLOTH
YCWAC	3.73 FDR/LIMITED SLIP RR
YP3AC	TOWCOMMAND PACKAGE
YPDAA	LESS LUXURY&CONVENIENCE PKG
YQCAA	LESS BORDER PATROL PACKAGE
YYBAB	DEALER/VSPS SP TIR/WHL OPT 1
YYCAB	DEALER/VSPS JACK OPTION 1
YZDAC	TPO/ORDER CODE 607A
YZKAA	RETAIL/STOCK
YZMAQ	EN-YB 6.0L V8 DS/GBVAJ DIESEL