2015 CLAAS Jaguar 960

Full 1000 Hour Service done

New Accelerator Bearings

New Knife Drum Bearings

New Low Pressure Valve Block

New Bearings in KP Idler Pulley

New Main Drive Idler Bearings

New Shear Bar

New Upper and Lower Front Feed Roll Tooth Bars

New Header Drive Shaft Seal

New Upper Roller Gearbox Seals and Replaced Bearings

New Seal Kit for Feeder House Lift Cylinders

New Bearings and Rolls in KP

\$30,000 in repairs

Machine configuration:49700398 Key Name machine no. 49700398 49700398 Serial number Motor 473.905-C-0123587 Type/Subtype JAGUAR 980-930 497 SH_B09_0020 Rear bumper buffer with drawbar SH_D02_0410 V-MAX 24-knife chopping unit SH_D03_0070 Wear ribs, serrated/smooth for lower feed roller, accessory pack SH_D05_0210 MULTI CROP CRACKER CLASSIC L, 100/125 teeth, hard-chrome-plated SH_D06_0090 Crop flow XL PREMIUM LINE professional SH_D07_0010 Corncracker gap setting, manual

SH_D10_0040 SH_D11_0010 Silage additive system with integrated tank SH_D12_0020 Comfort M intake drive SH_D15_0040 Corncracker drive L SH_E02_0060 Turret L SH_E04_0120 Upper discharge spout, reinforced SH_E07_0250 Spout extension L PREMIUM LINE SH_N02_0340 Drive axle L SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 SH_P03_0100 Auxiliary fuel tank, 300 litres SH_P07_0010 Hydraulic oil tank water separator	
SH_D12_0020 Comfort M intake drive SH_D15_0040 Corncracker drive L SH_E02_0060 Turret L SH_E04_0120 Upper discharge spout, reinforced SH_E07_0250 Spout extension L PREMIUM LINE SH_N02_0340 Drive axle L SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_D15_0040 SH_E02_0060 Turret L SH_E04_0120 Upper discharge spout, reinforced SH_E07_0250 Spout extension L PREMIUM LINE SH_N02_0340 Drive axle L SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_E02_0060 Turret L SH_E04_0120 Upper discharge spout, reinforced SH_E07_0250 Spout extension L PREMIUM LINE SH_N02_0340 Drive axle L SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_E04_0120 Upper discharge spout, reinforced SH_E07_0250 Spout extension L PREMIUM LINE SH_N02_0340 Drive axle L SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_E07_0250 Spout extension L PREMIUM LINE SH_N02_0340 Drive axle L SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_N02_0340 Drive axle L SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_N04_0131 Front tyres 710/70 R38 171 A8 Trelleborg SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_N08_0334 Steering axle M, variable (8-hole) SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_N09_0010 Spacer, steering axle M SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_N10_0168 Steering axle tyres 600/65 R28 154 A8 Trelleborg SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_N12_0040 Ground speed 40 km/h SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_P02_0640 MB S6-cyl. OM 473 LA, 460 kW/626 hp, ECE R 120 SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_P03_0060 DYNAMIC POWER SH_P03_0100 Auxiliary fuel tank, 300 litres	
SH_P03_0100 Auxiliary fuel tank, 300 litres	
·	
SH P07 0010 Hydraulic oil tank water congretor	
Sil_r 0/_0010 Figurating Oil talik water separator	
SH_P16_0060 DYNAMIC COOLING	
SH_Q02_0060 Cab with A/C MATIC – automatic climate control and heating	
SH_Q03_0040 Passenger seat	
SH_Q03_0065 Wiper/washer system for side and rear windows	
SH_Q03_0085 Sun blinds for side and rear windows	
SH_Q03_0120	
SH_Q03_0140 Air horn	
SH_Q03_0150 OPTION READY	
SH_Q06_0100 CEBIS terminal with colour display	
SH_Q07_0405 Preparation for terminal	
SH_Q10_0015 Comfort seat, air-suspended and swivelling	
SH_Q12_0030 Work lights, XENON	
SH_Q14_0020 Thermobox M	
SH_Q15_0030 CLAAS communication module	
SH_Q16_0010 Multifunction control lever	
SH_Q20_0040 Rear road lights, LED flash	
SH_R03_0010 AUTO PILOT module	
SH_R03_0140 CRUISE PILOT throughput control	
SH_R03_0150 OPTI FILL automatic discharge spout rotation	
SH_R03_0200 Software for AUTO PILOT row sensor maize	
SH_R03_0252 AUTO PILOT valve, proportional	
SH_R04_0010 Rear-view mirrors, electrically adjustable and heated	
SH_R05_0030 Central lubrication system, automatic	
SH_R05_0100 Service and step lightning	

Machine configuration:49700398

Type/Subtype	
SH_S03_0040	Anti-theft protection
SH_S04_0020	Tool kit
SH_S06_0010	Documentation
SH_S07_0110	Fire extinguisher bracket USA
SH_S09_0251	Additional weight, 5 plates, 850 kg, fitted
SH_T02_0010	Shipping method - rail
SH_T03_0020	Machine ready to run
SH_T03_0160	Transport protection, overseas
497/560	JAGUAR 960 T4f