

CUSTOMER #:

INVOICE

PAGE 1

HOME:		CONT:		SERVICE ADVISOR:			
BUS:		CELL:					
COLOR	YEAR	MAKE/MODEL	VIN	LICENSE	MILEAGE IN/ OUT	TAG	
	04	FORD E450	1FDXE45P24HA70373		61066/61066		
DEL DATE	PROD. DATE	WARR. EXP.	PROMISED	PO NO.	RATE	PAYMENT	INV. DATE
			18:30 23APR15			CASH	08MAY15
R.O. OPENED		READY	OPTIONS: ENG:6.0 LITER				
14:16 23APR15		11:57 08MAY15					

LINE	OPCODE	TECH	TYPE	HOURS	LIST	NET	TOTAL
------	--------	------	------	-------	------	-----	-------

A LOW OIL PRESSURE LIGHT ON

13 REPLACED ENGINE DUE TO LOW OIL PRESSURE

369 CFD

1 4C2Z*6006*EARM REMAN SERVICE ENGINE ASY

CORE CHARGE C

16 3C3Z*9S425*AA BOLT - HEX.HEAD

4 *W300051* NUT - LOCKING

4 *W300013* BOLT

1 3C3Z*9T514*AG KIT - HARDWARE

2 3C3Z*9439*AA GASKET - INTAKE MANIFOLD

1 4C3Z*9P456*AJ COOLER - EGR

CORE CHARGE C

1 3C3Z*6A051*AA HEATER ASY

2 AP0056 HARNESS

4 *W300012* "O" RING

1 4C2Z*6C632*BA CLAMP

1 *W301561* BOLT

1 4C2Z*6710*AA GASKET - OIL PAN

1 3C3Z*6710*CA GASKET - OIL PAN

1 3C3Z*8592*AB CONNECTION - WATER OUTLET

1 *W300006* BOLT

1 3C3Z*8575*AA THERMOSTAT ASY

1 4C2Z*8286*FD HOSE ASY

1 4C2Z*8260*EA HOSE ASY

1 3C3Z*6753*AA GASKET

1 4C2Z*12A690*BA WIRE ASY

1 4C2Z*12A690*AB WIRE ASY

1 3C3Z*12A697*AA SENSOR ASY

-1 4C3Z*9P456*AJ CORE RETURN

1 4C2Z*6754*AA TUBE - OIL LEVEL INDICATOR

1 3C3Z*6753*AA GASKET

1 9C2Z*18472*M HOSE - HEATER WATER

1 9C2Z*18472*P HOSE - HEATER WATER

1 *W301557* HARDWARE - MISCELLANEOUS

DESCRIPTION	TOTALS
LABOR AMOUNT	
PARTS AMOUNT	
GAS, OIL, LUBE	
SUBLET AMOUNT	
MISC. CHARGES	
TOTAL CHARGES	
LESS INSURANCE	
SALES TAX	
PLEASE PAY THIS AMOUNT	

CUSTOMER #:

INVOICE

PAGE 2

HOME:		CONT:		SERVICE ADVISOR:			
BUS:		CELL:					
COLOR	YEAR	MAKE/MODEL	VIN	LICENSE	MILEAGE IN/ OUT	TAG	
	04	FORD E450	1FDXE45P24HA70373		61066/61066		
DEL DATE	PROD. DATE	WARR. EXP.	PROMISED	PO NO.	RATE	PAYMENT	INV. DATE
			18:30 23APR15			CASH	08MAY15
R.O. OPENED		READY		OPTIONS: ENG:6.0 LITER			
14:16 23APR15		11:57 08MAY15					

LINE	OPCODE	TECH	TYPE	HOURS	LIST	NET	TOTAL
4	3C3Z	*9A375	*AA	GASKET			
1	3U2Z	*14S411	*MHA	WIRE ASY			
1	*W302725	*HARDWARE	-	MISCELLANEOUS			
1	7323	OIL	FILTER				
1	1L1Z	*9F924	*AA	KIT - BRAKE REPAIR			
8	*W705589	*S	PIN	- SPECIAL			
-1	4C2Z	*6006	*EARM	CORE RETURN			
15	XO	*15W40	*QSD	MOTORCRAFT SAE 15W-40 API CJ-4			
3	VC	*7	*B	ANTI-FREEZE			
4	665-3222	CLIP					

PARTS: LABOR: OTHER: TOTAL LINE A:
 SERIAL# 471273

B MULTI-POINT INSPECTION REPORT CARD AS RECOMMENDED BY FORD MOTOR COMPANY

99P MULTI-POINT INSPECTION REPORT CARD AS
 RECOMMENDED BY FORD MOTOR COMPANY

5556 CF

PARTS: LABOR: OTHER: TOTAL LINE B:

CUSTOMER PAY SHOP CHARGE FOR REPAIR ORDER

ATTENTION ATTENTION ATTENTION ATTENTION
 Manufacturers recommend wheel stud nuts be
 retorqued after 500 miles whenever wheels
 have been removed for service.
 ATTENTION ATTENTION ATTENTION ATTENTION

DESCRIPTION	TOTALS
LABOR AMOUNT	-
PARTS AMOUNT	-
GAS, OIL, LUBE	-
SUBLET AMOUNT	-
MISC. CHARGES	-
TOTAL CHARGES	-
LESS INSURANCE	-
SALES TAX	-
PLEASE PAY THIS AMOUNT	16856.74

