

PETERBILT
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1NPCLJ0X5PD880261
UNIT TYPE 2 OF FLEET 880261 THRU 880263
CUSTOMER NO -
STOCK
567 QUAD MCL

PAGE 001
AS OF 09/18/22

DATES
REQ DELV 08/31/22
DELIVERY 09/18/22
PRIC EFF 09/18/22

PREVIOUS CHASSIS NO.

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS
DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION

COMMODITY HAULED 0091070 CONSTRUCTION MATERIALS

INTENDED SERVICE 0093060 CONSTRUCTION DUMP - ON/OFF HIGHWAY

BODY

BODY TYPE 0095170 END DUMP

BODY LENGTH 198.00 IN BODY HEIGHT 108.00 IN
MAX LADEN WEIGHT 6500.00 LBS

TRAILER

TRAILER TYPE

TRAILER LENGTH .00 FT TRAILER HEIGHT .00 FT
KINGPIN .00 IN CTR LINE AXLE GRP .00 IN
CORNER RADIUS .00 IN NO TRAILER AXLES 00

OPERATING AREA RESTRICTIONS

LENGTH 40.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT

**** DEALER ASSIGNED:

CHASSIS

FRONT AXLE LOAD 16000.00 LBS REAR AXLE LOAD 40000.00 LBS GCW 68000.00 LBS
WHEELBASE 249.00 IN FAX/BOC 86.20 IN CAB/AXLE 162.80 IN
CAB/EOF 224.80 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 100 % CLASS B 000
% CLASS C 000
% CLASS D 000

PETERBILT
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1NPCLJ0X5PD880261
UNIT TYPE 2 OF FLEET 880261 THRU 880263

PAGE 002
AS OF 09/18/22

SPECIAL REQUIREMENTS
SPECIAL RESTRICTIONS 0098170 UNITED STATES REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 16,000.00 LBS
GAWR FIRST INTER 8,000.00 LBS SECOND INTER 20,000.00 LBS
GAWR REAR: 20,000.00 LBS
GVWR: 68,000.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
BASE MODEL				
0005671	MODEL 567 CONVENTIONAL	P		4,799
0200700	NOT APPLICABLE	P		0
SECONDARY MANUFACTURER				
FRAME AND EQUIPMENT				
0514000	10-3/4" STEEL RAILS TO 354"	P		366
	3/8" RAIL THICKNESS			
0599990	FRAME APPROVED	U		0
N0511	** 2ND PUSHER RATING: 8000 LBS. **			
N0590	*CK6629A*			
N0591	APPROVED TO 68,000 LB. GVWR (PX9 LIMIT)			
N0593	INSERT/LINER, NO SLEEPER, 100% CLASS A			
N0594	USAGE. 16.5-FT BODY, 40K AIR TRAC @ 54"			
N0595	AND 8,000 LB. PUSHERS @ 43" & 83" FOR			
N0596	END DUMP TRUCK SERVICE			
0611250	HD IRON FRONT SPRING BRKTS	P		35
	FORWARD & REAR			
0613140	HD 7-BOLT GUSSETS ON ALL SUSP XMBS	P		9
	PB AIR TRAC & AIR LEAF SUSPENSIONS ONLY			
0644090	EOF SQUARE WITHOUT CROSSMEMBER	P		64-
	USE WITH BODY BUILDER INSTALLED XMBS			
0651090	OMIT REAR MUDFLAPS & HANGERS	P		24-
FRONT AXLE AND EQUIPMENT				
1011360	✓ DANA SPICER D2000F 20,000 LB, 3.5" DROP	P		110
1112160	TAPER LEAF SPRINGS, SHOCKS 16,000 LBS.	P		66
1233110	POWER STEERING TRW THP60 DUAL GEAR	P		53
1250250	POWER STEERING RESERVOIR, FRAME MOUNTED	P		2
	W/COOLER			
1354850	PHP10 IRON PRESET+ HUBS - AIR DISC	P		42
1380070	GREASABLE FRONT SPRING PINS	P		0
1380290	AIR DISC FRONT BRAKES	P		0
1380380	TENNECO SHOCKS FOR STEER AXLE	P		0
1391060	50 MM FRONT SPRING SPACER BLOCKS	P		0
N1350	*CG OF TRUCK PAYLOAD MUST BE			
N1351	LOCATED SO FRONT STEER AXLE DOES NOT			
N1352	SEE MORE THAN 23,000 LBS IN SITE TRAVEL			
REAR AXLE AND EQUIPMENT				
1526150	✓ MERITOR MT40-14X 40,000 LBS.	P		174

PETERBILT
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1NPCLJ0X5PD880261
UNIT TYPE 2 OF FLEET 880261 THRU 880263

PAGE 003
AS OF 09/18/22

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1599980	REAR AXLE APPROVED	U		0
N1590	* AXLE APPROVAL #107104 *			
N1591	PER P/L #395 SPEED OF LOADED VEHICLE			
N1592	MUST BE LIMITED TO 5MPH MAX WHEN LIFT			
N1593	AXLE IS RAISED			
1603295	(2)WATSON-CHALIN SL0893SSR SLF-STRG PSR	P		,565
	8K LB EA,INC DUST SHIELD, 2 AIR TANKS			
1607143	43" PUSHER AXLE SPACING	P		0
	FROM C/L OF FORWARD DRIVE AXLE			
1607283	83" 2ND PUSHER AXLE SPACING	P		0
	FROM C/L OF FORWARD DRIVE AXLE			
1608210	PUSHER AXLE(S) 8,000 LBS.	U		0
1615060	6-STUD IRON HUBS, CAST DRUMS	P		0
	8,000 LB SELF-STEERING PUSHER AXLES			
1616290	PHP10 ALUMINUM PRESET+ HUBS	P		0
1680450	REAR BRAKE CAMSHAFT REINFORCEMENT	P		9
1680460	HEAVY WALL, DRIVE AXLE(S)	P		88
1680490	GUSSETED CAM BRACKETS, DRIVE AXLE(S)	P		2
1680500	SBM VALVE	P		0
1680950	STABILITY SYSTEM NOT SELECTED	P		0
	OR NOT AVAILABLE			
1682710	ANTI-LOCK BRAKING SYSTEM (ABS) 6S6M	P		0
1683235	OMIT SMARTIRE TIRE PRESSURE MONITORING	P		0
	SYSTEM NEXT GEN TPMS			
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P		0
1685070	LIFT AXLE REGULATOR(S) BRKT MTD FRAME	P		0
	SWITCH(S) & GAUGE(S) IN DASH			
1685460	STOWED LIFTED AXLE HIGHER TO MAXIMIZE	P		0
	GROUND CLEARANCE			
1687010	BENDIX AIR CAM REAR DRUM BRAKES 16.5X7	P		0
1705290	RATIO 5.29 REAR AXLE	P		0
1821810	PETERBILT AIR TRAC 40,000 LBS., 54" AS	P		170
1920385	AIR SPRINGS, INTERNAL BUMPERS	P		0
	AIR TRAC/AIR LEAF SUSPENSIONS			
1922260	DASH MTD DUMP SWITCH WITH INDICATOR	P		2
	LIGHT FOR SUSPENSION			
1922390	HD TRACKING RODS, AIR LEAF	P		11
	LOW AIR LEAF/LOW LOW AIR LEAF			
	ENGINE AND ENGINE EQUIPMENT			
2074513	PACCAR PX-9 370@1900 GOV@2100 1250@1200	P		906-
	PERFORMANCE (2021 EMISSIONS)			
2091130	VMUX ELECTRONICS ARCHITECTURE	P		0
2091310	ENGINE IDLE SHUTDOWN TIMER DISABLED	P		0
2091315	ENABLE EIST AMBIENT TEMP OVERRULE	P		0
2091372	EFF EIST NA EXPIRATION MILES	P		0
2091640	EFFECTIVE VSL SETTING NA	P		0
2092017	TYPICAL OPERATING SPEED 68 MPH	P		0
2092032	POWERTRAIN OPTIMIZED FOR PERFORMANCE	P		0
	VOCATIONAL APPLICATIONS OR WITH HEAVY			
	GCWR			

UNIT TYPE 2 OF FLEET 880261 THRU 880263

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2092079	DECLINE DRIVER PERFORMANCE ASSISTANT	P		0
2140220	CARB ENGINE IDLING COMPLIANCE	P		0
	DECLINED BY DEALER/CUSTOMER			
2140410	ENGINE BRAKE CONTROLS LOC ON RH COLUMN	P		0
2140450	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY	P		0
	REMOTE CONTROL PROVISION			
2140670	EPA EMISSION WARRANTY	P		0
N2132	C399 120...STANDARD MAXIMUM SPEED LIMIT			
N2133	C402 0.....EXPIRATION DISTANCE (N207)			
N2134	C209 120...HARD MAXIMUM SPEED LIMIT (P1			
N2135	C121 65....MAXIMUM ACCELERATOR PEDAL VE			
N2137	C128 65....MAXIMUM CRUISE SPEED (P059)			
N2140	C400 252...RESERVE SPEED FUNCTION RESET			
N2141	C334 0.....MAXIMUM CYCLE DISTANCE (N202			
N2142	C401 10....MAXIMUM ACTIVE DISTANCE (N20			
N2143	C333 0.....RESERVE SPEED LIMIT OFFSET (			
N2144	C234 NO....ENGINE PROTECTION SHUTDOWN (			
N2145	C231 NO....GEAR DOWN PROTECTION (P026)			
N2146	C132 1400..MAX PTO SPEED (P046)			
N2147	C239 NO....CRUISE CONTROL AUTO RESUME (			
N2148	C238 NO....AUTO ENGINE BRAKE IN CRUISE			
N2150	C395 0.....EXPIRATION DISTANCE (N209)			
N2151	C225 NO....ENABLE IDLE SHUTDOWN PARK BR			
N2152	C133 5.....TIMER SETTING (P030)			
N2153	C396 YES...ENABLE IMPENDING SHUTDOWN WA			
N2154	C397 60....TIMER FOR IMPENDING SHUTDOWN			
N2155	C206 35....ENGINE LOAD THRESHOLD (P516)			
N2157	C233 NO....IDLE SHUTDOWN MANUAL OVERRUL			
N2159	C382 YES...ENABLE HOT AMBIENT AUTOMATIC			
N2161	C188 39....LOW AMBIENT TEMPERATURE THRE			
N2162	C189 60....INTERMEDIATE AMBIENT TEMPERA			
N2163	C190 80....HIGH AMBIENT TEMPERATURE THR			
N2170	**CUMMINS APPROVED PX-9 370 WITH			
N2171	ALLISON 3000 RDS, 5.29 RATIO AND			
N2172	68,000 GVWR RATING PER APPROVAL			
N2173	SDR220810-1, DATED 8/10/2022 WITH MAX			
N2174	CRUISE SPEED 65 MPH**			
2513060	PACCAR 160 AMP ALTERNATOR, BRUSHED	P		0
2522110	PACCAR 12V STARTER	P		0
	N/A PACCAR MX ENGINES			
2538120	3 PACCAR AGM 12V BATTERIES 2775 CCA	P		0
2539410	BATTERY JUMPER TERMINAL	P		4
	MTD UNDER HOOD LH FRAME RAIL			
2539720	LOW VOLTAGE DISCONNECT SYSTEM	P		0
2621000	2-SPEED FAN CLUTCH FOR FREQUENT	P		0
	START/STOPS			
2723210	18.7 CFM AIR COMPRESSOR	P		18
	N/A X15			
2812140	C-BRAKE BY JACOBS, PX-9	P		90
2921110	PACCAR FUEL/WATER SEPARATOR STANDARD	P		0
	SERVICE INTERVAL			

PETERBILT
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1NPCLJ0X5PD880261

PAGE 005
AS OF 09/18/22

UNIT TYPE 2 OF FLEET 880261 THRU 880263

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2921210	NO FLUID HEAT OPTION FOR FUEL FILTER	P		0
2921310	NO ELECTRIC HEAT OPTION FOR FUEL FILTER	P		0
3114270	HIGH EFFICIENCY COOLING SYSTEM	P		0
3291680	(1) AIR CLEANER FIREWALL MTD	P		0
3365270	EXHAUST SINGLE RH SIDE OF CAB	P		0
	DPF/SCR RH UNDER CAB			
3381770	CURVED TIP STANDPIPE(S)	P		0
3387610	18" HT, 5" DIA STANDPIPE(S)	P		2-
	CHROME WITH CLEAR COAT			
	TRANSMISSION AND CLUTCH			
4052110	ALLISON 3000 RDS-P TRANSMISSION, GEN 5	P		139
	RUGGED DUTY SERIES			
4099980	TRANSMISSION APPROVED	U		0
N4090	*ALLISON SCAAN #147554*			
4210330	1760 HD DRIVELINE, 2 MIDSHIP BEARINGS	U		161
	NLA			
4216590	1710 DRIVELINE INTERAXLE	P		0
	FOR TANDEM REAR AXLES			
4233910	(1) DASH MTD SINGLE ACTING EOH PTO CTRL	P		0
	ELECTRIC OVER HYDRAULIC			
4250160	ALLISON WORLD TRANS PRIMARY SHIFT	U		0
	SCHEDULE 1			
4250420	ALLISON RDS, PKG 223	U		0
	3000, 3500, 4000, 4500, 4700 TRANS			
4251020	TC-421 TORQUE CONVERTER	U		0
	ALLISON TRANSMISSION			
4252170	AUTO NEUTRAL ACTIVATES W/ PARKING BRAKE	P		0
4252890	ALLISON FUELSENSE 2.0 NOT DESIRED	P		0
4252940	ALLISON NEUTRAL AT STOP	P		0
4256640	ALLISON 6-SPEED CONFIGURATION	P		0
	3000 SERIES TRANS, CLOSE RATIO GEARS			
4256910	ALLISON TRANSMISSION FLUID TEST PORT	P		0
	REMOTE COUPLER			
4256920	DASH MOUNTED PUSH BUTTON SHIFTER	P		0
4256990	ROLLING DIRECTION CHANGE SHIFT INHIBIT	P		0
	FEATURE, ALLISON TRANSMISSIONS			
	AIR AND TRAILER EQUIPMENT			
4510210	BENDIX AD-HF EP AIR DRYER, HEATER	P		2-
	COALESCING FILTER, EXTENDED PURGE			
4520420	PULL CORDS ALL AIR TANKS	P		0
4540420	NYLON CHASSIS HOSE	P		0
4543340	ALUMINUM PAINTED AIR TANKS	P		44-
4610340	BODY LIGHTING JUNCTION BOX	P		2
	(W/O WIRING) AT EOF			
4610920	SELF RETURNING BRAKE HAND VALVE	P		0
	DASH MOUNTED CONTROLS			
4611930	BODY CONNECTIONS 5' BOC	P		7
4612780	AE CONNECTION EOF, 7-WAY SOCKET	P		15
	4' ADDL LINES, COILED & STRAPPED TO			

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	----	-----	-----
4615250	FITTING FOR F/O AIR PORT MOUNTED OUTBOARD OF DRIVER SEAT	P		0
	TIRES AND WHEELS			
5050240	FF: MN 20PLY 425/65R22.5 XZE	P		165
	PART: MN66642 FET: 74			
5133600	RR: GY 16PLY 11R22.5 FUEL MAX RTD	P		124
	PART: GY138004808 FET: 232			
5190008	CODE-REAR TIRE QTY 08.			
5220130	FF: ALCOA 824627 22.5X12.25 HIGH POLISH	P		2-
	ALM			
5320410	RR: ALCOA 885657 22.5X8.25 HIGH POLISH	P		132-
	ALM, SEVERE SERVICE			
5390008	CODE-REAR RIM QTY 08.			
5492012	PR: (4)ALCOA 664807 17.5X6.00 HIGH	P		108
	POLISH ALM, (2)8K SELF-STRG PUSHER AXLES			
5496667	PR: (4)BR 16PLY 215/75R17.5 R238	P		265
	(2) 8K SELF-STEERING PUSHER AXLES			
	PART: BR003887 FET: 48			
	FUEL TANKS			
5554160	26" ALUM 90 GAL FUEL TANK LH U/C	P		20
	NON-SLIP FUEL TANK STEP LH U/C			
5602090	LOCATION LH UNDER CAB 090 GAL.			
5650540	POLISH (1) NON-SLIP FUEL TANK STEP	P		0
	U/C TANK ONLY			
5650810	POLISH (1) ALUMINUM FUEL TANK	P		0
5652830	POLISH ALL FUEL / HYDRAULIC TANK STRAPS	P		0
5652880	DEF TANK MOUNTED RH BOC	P		0
5652990	DEF TO FUEL RATIO 2:1 OR GREATER	P		0
5655019	DEF TANK SMALL, HD 14GAL 2.1M MD 5.5GAL	P		0
5760010	RH TANK NONE FURNISHED	P		86-
N5920	W/ 249" WB, 62" OH, 10-3/4" RAIL, NO			
	BATTERY BOX AND BUMPER			
6010390	OMIT STANDARD BATTERY BOX	P		44-
	USE WITH PASS SEAT/IN-CAB BAT BOX CODES			
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP	P		0
	CAB ENTRY STEP			
6111020	ALUMINUM BUMPER TAPERED POLISHED	P		42-
	2 TOW POINTS			
6132450	HEAVY DUTY EXTERNAL TOW EYE	P		42
	IPO STD, N/A WITH FEPTO			
	CAB AND EQUIPMENT			
6515760	VOC 115 BBC ALUMINUM CAB & METTON HOOD	P		60-
	SFFA, SS CROWN & GRILLE W/TILT ASSIST			
6540160	THERMAL INSULATION PACKAGE IN CAB	P		2
6700000	NO SLEEPER SELECTED	P		0
6800330	RUBBER FENDER LIPS 4.5" WIDE	P		7
6911100	PETERBILT ST DRIVER	P		0

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
6921740	PETERBILT ST NON-ADJUSTABLE PASS SEAT	P		0
6930500	DRIVERS ARMREST - RH ONLY	P		2
6939100	BATTERY BOX UNDER PASSENGER SEAT	P		40
6939400	AIR RIDE DRIVER	P		0
6939420	HIGH BACK DRIVER	P		0
6939480	MORDURA DRIVER	P		0
6939510	NON-AIR RIDE PASSENGER	P		0
6939520	HIGH BACK PASSENGER	P		0
6939570	VINYL PASSENGER	P		0
7000025	STEERING WHEEL W/MULTI FUNCTION	P		0
	WITH PB LOGO, AUDIO AND CC			
7000045	HIGH-VISIBILITY INTERIOR GRABHANDLES	P		0
	PAINTED YELLOW			
7001520	ADJUSTABLE STEERING COLUMN	P		0
	TILT/TELESCOPE			
7037130	PRESTIGE INTERIOR - STERLING GRAY	P		0
7110680	EXTERIOR CAB ENTRY GRABHANDLE	P		7
	TEXTURED; NFPA COMPLIANT			
7210540	DAY CAB REAR WINDOW	P		0
7210550	1-PIECE GLASS REAR CAB WINDOW FIXED	P		0
7230060	ONE-PIECE CURVED WINDSHIELD	P		0
7230360	POWER DOOR LOCKS AND POWER WINDOW LIFTS	P		0
	STANDARD			
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	P		0
7410040	OUTSIDE SUNVISOR - STAINLESS STEEL	P		9
	N/A W/ 2.1M HR SLEEPER			
7510070	AERO REAR VIEW MIRROR HOUSING	P		0
	MOLDED BLACK			
7514000	PETERBILT AERO REAR VIEW MIRROR	P		0
	NON-MOTORIZED, HEATED W/INTEGRAL CONVEX			
7514050	LOOK DOWN MIRROR OVER PASSENGER DOOR	P		0
	WITH BLACK HOUSING			
7620400	(2) PB AIR HORNS ROUND, 23" LENGTH	P		9
	ROOF MTD, ROUND HORN SHIELD			
7722120	CONCERTCLASS, AM/FM, WB, 3.5 AUX	P		11
7725710	STANDARD SPEAKER PACKAGE FOR CAB	P		4
	(2) SPEAKERS			
7728030	RADIO MUTE WHEN AUTOMATIC OR AUTOMATED	P		0
	TRANSMISSION IN REVERSE			
7728040	BLUETOOTH PHONE & AUDIO	P		0
	REQUIRES USB PORT			
7728050	USB PORT	P		0
7748150	(1) ANTENNA FOR FACTORY INSTALLED	P		0
	OR F/O CB, MTD LH COWL, LOW MOUNT ONLY			
7788055	SmartLINQ REMOTE DIAGNOSTICS	P		0
7788057	24 MONTHS SMARTLINQ SUBSCRIPTION	P		0
	PACCAR PX ENGINES			
7850910	COMBO BUGSCREEN WINTERFRONT	P		7
7851480	PB ELEC WINDSHIELD WIPERS	P		0
	W/INTERMITTENT FEATURE			
7852020	CAB AIR SUSPENSION	P		15

UNIT TYPE 2 OF FLEET 880261 THRU 880263

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
7900090	TRIANGLE REFLECTOR KIT SHIP LOOSE	P		13
7900320	FIRE EXTINGUISHER, MTD INBOARD DRIVER SEAT	P		9
7901130	BACKUP ALARM (107 DB)	P		2
8011410	DRIVE AXLE #1 FRONT OIL TEMP GAUGE 52MM ROUND, BACKLIT	P		0
8011420	DRIVE AXLE #2 REAR OIL TEMP GAUGE 52MM ROUND, BACKLIT	P		0
8011850	TRANSMISSION OIL TEMPERATURE (MAIN) LOCATED IN DIGITAL CLUSTER DISPLAY	P		0
8012240	GUARD(S) FOR REAR AXLE HEAT GAUGE	P		2
8021800	AIR FILTER RESTRICTION PRESSURE GAUGE LOCATED IN DIGITAL CLUSTER DISPLAY	P		0
8021810	BRAKE APPLICATION AIR PRESSURE (TRACTOR) LOCATED IN DIGITAL CLUSTER DISPLAY	P		0
8022160	FUEL FILTER RESTRICTION GAUGE 52MM ROUND, BACKLIT	P		0
8070810	ENGINE MANIFOLD PRESSURE (TURBO BOOST) LOCATED IN DIGITAL CLUSTER DISPLAY	P		0
8070820	ENGINE PERCENT TORQUE LOCATED IN DIGITAL CLUSTER DISPLAY	P		0
8070830	MAIN INSTRUMENTATION PANEL DIGITAL CLUSTER 15" DISPLAY	P		0
8071900	MANIFOLD PRESSURE GAUGE 52MM ROUND, BACKLIT	P		2
8072560	(1) ADDITIONAL DASH SWITCH WITH WIRING BEHIND DASH	P		0
8076010	PUSHER AXLE PRESSURE 1 52MM ROUND, BACKLIT	P		0
8076020	PUSHER AXLE PRESSURE 2 52MM ROUND, BACKLIT	P		0
8110070	HEADLIGHTS PROJECTOR MODULE POD FENDER MOUNTED TURN SIGNALS	P		0
8120990	(5) MARKER LIGHTS, AERO LED ON ROOF, VISOR, OR FAIRING	P		0
8133960	DAYTIME RUNNING LIGHTS REQUIRED ON ALL CANADIAN VEHICLES	P		0
8134160	SELF-CANCELING TURN SIGNAL	P		0
8140080	LED STOP/TURN/TAILO/BACKUP BRACKET MOUNTED LH/RH EOF	P		2
8140850	MOVEABLE EOF XMBR FOR MTG TAILLIGHTS WITH OR WITHOUT EOF XMBR & SQUARE EOF	P		0
PAINT				
8500710	STANDARD PAINT COLOR SELECTION	P		0
8530770	(1) COLOR AXALTA TWO STAGE PAINT CAB/HOOD	P		0
N8502	A - L0006EY WHITE			
N8520	FRAME L0001EA BLACK			
N8530	FENDER L0006EY WHITE			
N8540	HOOD TOP L0006EY WHITE			
N8550	CAB ROOF L0006EY WHITE			