PAGE 1

000. 000	200 40	ve unne		SER	VICE ADVISOR:			110/00/10/10	
COLOR	YEAR	MAKE/MODEL			VIN	LICENSE	MILEAGE IN / OUT		TAG
White	20	PETERBILT 57	9	1XPBI	DP9X5LD679006	1000	435251	/435251	148281
DEL. DATE		DATE WARR. EXP.	PROMIS		PO NO.	RATE	PAYMENT	INV. C	
			16:54 23				CHC	03APR	24
IDEC19 D	DD04NOV	719 READY	LD-STK:LD6790						
R.O. OPE	ENED	READY	OPTIONS	: 50	LD-SIK: LD0/90	OO DING. I	accar		
23F	EB24	03APR2	4					- 20	m11
TME ODO	DE TEC	TYPE HOURS				LIST			TAL
CHECK E	OR COO	LANT LEAKING	OUT OF	HEAD G	ASKET ON RIGH	NDER WAR	PRANTY		
		HE HEAD IS PI	TTED PAGE	S SAID	IT WILL BE U	NDER WAI	12036122		
AUSE: .		ANT LEAK							11.50
		39 WPE							
		MPE WPE						decessor	
1	M5710	7 3 INCH BRU	SH	m 147	12FD317 LONG				
		OO1PE INSTALL	ATION KI	T - MA	IJEPAI / DONG				
1	3LOCK	69PE OIL COO	LER. MX-	13, EF	A17				
1	21808	879PE COOLANT	THERMOS	TAT, 8	35C				
1	21240	041PE COOLANT	THERMOS	TAT, 9	91C			100000	
1	21364	411PE O-RING		117.6	v 2				
8	W34-1	1158 BOLT-FLA	NGE HEAD	FILTER	. MX-13, SF				
1	22990	OTTPE FUEL IN	JECTION	PIPE,	1-4, MX13,			The same of	
STATE OF THE PARTY	77777							220000	
-	DANE	078PE FUEL IN	NJECTION	PIPE,	5-6, MX-13			150000	
	24050	176PE FUEL IN	JECTION	BILE .	TO FUEL RAIL				
6	1212	120PE BOLT-FI	LANGE MOX	22				53533	
4	1313	122PE BOLT-FI	INTECTO	R					
6	18658	847PE O-RING 270PE O-RING	INJECTOR						
6	21279	551PE RING SI	EAL, INJE	CTOR				oraclessa.	
and the second second		DOCOP O-PING						20020	
1	16823	342PE PIPE-O.	IL SUPPLY	COMP	RESSOR			18909	
	01000	DOEDE COOLAN'	L PIPE					73/13	
1	21348	BOOPE PIPE-CO	OOLANT,	UMPRE	330K			250000	
1	18576	669PE SET-GAS	SKET MY-	-13 EP	A17				
1	17185	34PE FILTER 396PE GASKET	EXHAUST	CIRCU	LAR 4"				
The second secon	a amat	E12 TTE-CAR	E LZULD	15.2	5" BLK				
2	O CTO	3316 TIE-CAB	LE 50LB	B" BLK			DESCRIPTION		TOTALS
3	0 010.	7010 111		FIER			R AMOUNT		
						-	S AMOUNT		
						-	OIL, LUBE		
						-	ET AMOUNT		
						MISC	CHARGES		
						TOTA	L CHARGES		

LESS INSURANCE SALES TAX PLEASE PAY THIS AMOUNT

						PAGE 2				
DOD: 000 000 077						RVICE ADVISOR:	LICENSE	LICENSE MILEAGE IN / OUT		
COLOR YEAR MAKE/MODEL						VIN L				TAG
White	20	PET	TERBILT 57	19	1XPB	DP9X5LD679006			/435251	148281
DEL DATE	PROD.	DATE	WARR, EXP.	PROMIS		PO NO.	RATE	PAYMENT	INV. D	ATE
IDEC19 DD	DANO	171 0		16:54 2	3MAR24			CHG	03APR	24
R.O. OPEN		1	READY	OPTION	8: SO	LD-STK:LD6790	06 ENG:			
23FE		017 0	03APR				LIS	T NE	T TO	TAL
INE OPCOL			PE GASKET		MODUI	E	ASSOCIATION		THE PARTY OF	141
			PE SCREW						Linkson .	-
			PE THERMOS		algeren.				1076	
1	2118	3031	PE BREATH	ER HOSE					CHESTON IN	
			PE CONNECT							
1	1907	3991	PE GASKET	AIR INTA	EB KI	P			574512	
1	F37-	1023	2-100 DRY	ER-RECEIV	ER W/I	YE W/SLPR				
			C WASHER						STATE OF THE PARTY	
3	7303	93A	TC WASHER	-SEALING	A/C #8	3//			STATUTE OF	
1	7303	95A	TC WASHER	-SEALING	A/C #	IZ			17.00	
1	EBKW	1186	CT AMP-HO	61 / BELLO	W-EXH	AUST PACCAR			15106333	
1	7520	O-MA	CLAMP-HO	III / Me	rcon	Automatic			4 1 1 1 1	
My	ane								1222460	-
1	P50-	6308	B HOSE-CO	OL 2-1/2"	SIL B	LUE			500000000	100
2	B922	6-02	275TRP CL	AMP-T BOI	T SPR	ING 2 3/4-3			The same of the sa	
1/	16		2024260	COO1 3317	ת ממת	T.C 50/50 TUG			2572373	100
2	EC35	01 -	-YZ34360	BRAZED	ININSU	LC 50/50 JUG LATED BUTT			1000	
00	CTEAPA								SHIRLING	
=	D124	3-11	REFRIGE	RANT R134	A-SUV	A 134A 12 OZ	C		Desire Comp	
11	105	4201	DOLL-D	ELVAC 130	O SUP	10M-20 BOTH			DESERVE AND	100
2	CRT6	2-U!	NBZ 16-14	BRAZED E	BUTT C	ONNECTOR	TOTAL	LINE A:	375 PO 000	100
ARTS:	0.	00	LABOR:	0.00	OTHE	R HEAD AND BL	OCK HAV	/E		100000000000000000000000000000000000000
/ TCS 06	3146	07 /	COULANT	LEAR, C	STEY C	R HEAD AND BL OMPLAINT, PSI	TEST N	NO SIGNS	OF	
ROSION,	LONG	BIY	OCK INSTA	IR COMPRI	ESSOR,	EGR COOLER A	ND CYL	HEAD OK,	RUN	
XTERNAL	TEM	p. (	COOLANT I	S LEAKING	FROM	HEAD GASKET	AREAAT	#3 EXHAU	ST.	
RAIN COO	LANT	, DI	SCONNECT	ALL NEEL	DED, R	EMOVE CYLINDE	ER HEAD,	HEADBOL	TS	
ETWEEN C	YL 1	ANI	2 WERE	GUMMY ANI	BLAC	K. INSPECT HE	AD GASE	CLEAN AND		
	LOWN	ON	CYLINDER	S 1,4,5,	AND	DISCOLORED AT	NT JAC	KET - D3M	IM.	
ING IS B	EAD ,	AND	BLOCK, F	OUND EROS	SION O	10MM OPEN TO	CS CASE	AND ADVI	ISED.	
NSPECT H		1 ATT T		NUMBER POLICE	JUN	TOLKEN OF DIE TO				
NSPECT H	D SA	ME F	EROSION O	IN THE PARTY				DESCRIPTION		TOTALS
NSPECT H	D SA	ME E	EROSION O	N THE ST			_	R AMOUNT		TOTALS
NSPECT H	D SA	ME E	EROSION O	N THE SE			LABO			TOTALS
NSPECT H	D SA	ME I	EROSION O	A THE SE			LABOR PARTS	R AMOUNT		TOTALS
RING IS B INSPECT H ALSO FOUN	D SA	ME I	EROSION O	N IIII DA			PARTS GAS, SUBL	R AMOUNT S AMOUNT OIL, LUBE ET AMOUNT		TOTALS
RING IS B INSPECT H ALSO FOUN	D SA	ME I	EROSION O	14 1111 22			PARTS GAS, SUBL MISC	R AMOUNT S AMOUNT OIL, LUBE ET AMOUNT , CHARGES		TOTALS
RING IS B INSPECT H ALSO FOUN	D SA	ME I	EROSION U	71111			PART: GAS, SUBL MISC. TOTA	R AMOUNT S AMOUNT OIL, LUBE ET AMOUNT . CHARGES L. CHARGES		TOTALS
RING IS B INSPECT H ALSO FOUN	D SA	ME I	EROSION U	111111111111111111111111111111111111111			PARTS GAS, SUBL MISC. TOTA LESS	R AMOUNT S AMOUNT OIL, LUBE ET AMOUNT . CHARGES LL CHARGES INSURANCE		TOTALS
RING IS B INSPECT H ALSO FOUN	D SA	ME E	EROSION U	111111111111111111111111111111111111111			PART: GAS, SUBL MISC. TOTA LESS	R AMOUNT S AMOUNT OIL, LUBE ET AMOUNT . CHARGES L. CHARGES		TOTALS

## PAGE 3

SERVICE ADVISOR:  VIN LICENSE MILEAGE IN/OUT TAG  INTERPRETATION TO THE PROPERTY OF THE PAYMENT INV. DATE  DEL DATE PROD. DATE WARR EXP. PROMISED PO NO. RATE PAYMENT INV. DATE  DEC19 DD0 4NOV19 16:54 23MAR24 CHG 03APR24  RO. OPENED READY OPTIONS: SOLD-STK:LD679006 ENG:Paccar  23FEB24 03APR24  INTERPRETATION OF THE HOURS							INGL 5				
DEC. DATE PROD. DATE WARR. EXP. PROMISED PO NO. RATE PAYMENT INV. DATE  DEC. 19 DD. 04NOV19 16:54 23MAR24 CHG 03APR24  R.O. OPENED READY OPTIONS: SOLD-STK:LD679006 ENG:Paccar  23FEB24 03APR24  INE OPCODE TECH TYPE HOURS LIST NET TOTAL  BYL ADVISED SENDING LONG BLOCK. REMOVE ENGINE FROM CHASSIS, REASSEMBLE  CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR  COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING, INSTALL ENGINE, CHANGE  FILTERS, FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN  CINGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.  ***********************************	COLOR YEAR MAKE/MODEL					SER			MILEAGE IN / OUT		TAG
DEC19 DD04NOV19  16:54 23MAR24  RO.OPENED  READY OPTIONS: SOLD-STK:LD679006 ENG:Paccar  23FEB24  O3APR24  ENE OPCODE TECH TYPE HOURS S/L ADVISED SENDING LONG BLOCK. REMOVE ENGINE FROM CHASSIS, REASSEMBLE CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING, INSTALL ENGINE, CHANGE FILTERS, FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN CONGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.		The same of			1		All4				
RO.OPENED READY OPTIONS: SOLD-STK:LD679006 ENG:PACCAR  23FEB24 03APR24  INE OPCODE TECH TYPE HOURS S/L ADVISED SENDING LONG BLOCK. REMOVE ENGINE FROM CHASSIS, REASSEMBLE CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING INSTALL ENGINE, CHANGE CHARGE FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN NINGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.  ***********************************	hite								435251/		
RO.OPENED READY OPTIONS: SOLD-STK:LD679006 ENG:Paccar  23FEB24 03APR24  INE OPCODE TECH TYPE HOURS  S/L ADVISED SENDING LONG BLOCK. REMOVE ENGINE FROM CHASSIS, REASSEMBLE CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING, INSTALL ENGINE, CHANGE FILTERS, FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN CNGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.  ***********************************	DEL. DATE	PROD.	DATE	WARR. EXP.	PROMI	SED	PO NO.	RATE	PAYMENT	INV.	DATE
RO. OPENED READY OPTIONS: SOLD-STK:LD679006 ENG:Paccar  23FEB24 03APR24  INE OPCODE TECH TYPE HOURS BLIST NET TOTAL  CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR  COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING, INSTALL ENGINE, CHANGE  FILTERS, FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN  CONGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.  ***********************************	IDEC19 DI	DO4NO	V19		16:54 2	3MAR24			CHG	03APR	24
ENE OPCODE TECH TYPE HOURS  LIST NET TOTAL  S/L ADVISED SENDING LONG BLOCK. REMOVE ENGINE FROM CHASSIS, REASSEMBLE  CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR  COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING, INSTALL ENGINE, CHANGE  CILTERS, FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN  INGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.  ***********************************				READY	OPTION	48: SOI	D-STK: LD6790	06 ENG:P	accar		
ENE OPCODE TECH TYPE HOURS  LIST NET TOTAL  S/L ADVISED SENDING LONG BLOCK. REMOVE ENGINE FROM CHASSIS, REASSEMBLE  CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR  COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING, INSTALL ENGINE, CHANGE  PILITERS, FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN  INGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.  ***********************************											
S/L ADVISED SENDING LONG BLOCK. REMOVE ENGINE FROM CHASSIS, REASSEMBLE CORE AS NEEDED. PREP EW LONG BLOCK, FLUSH OIL MODULES, TURBO, AIR COMPRESSOR, FUEL SYSTEM/EUPS BEFORE INSTALLING, INSTALL ENGINE, CHANGE PILTERS, FILL WITH NEW OIL, FILL COOLANT AND TOP OFF, PRIME, RUN CNGINE, CLR POWER DOWN MEMORY, CLR FAULTS, STEAM OFF, TEST DRIVE, OKAY.  ***********************************								7.797	NP.	T TO	TAL
	CORE AS COMPRESS: FILTERS, ENGINE, STIMATE: CONTAC	NEEDE OR, F FILL CLR P * *****	D. F UEL WIT OWEF ****	PREP EW LOSYSTEM/EDH NEW OIL R DOWN ME	ONG BLOCK UPS BEFOR L, FILL O MORY, CLE	RE INSTA	H OIL MODULES ALLING, INSTA AND TOP OFF, S, STEAM OFF,	S, TURBO, ALL ENGIN , PRIME, , TEST DE	AIR NE, CHANG RUN	E	
											TOTALS
DESCRIPTION TOTALS								-			
LABOR AMOUNT								PARTS	AMOUNT .		-

GAS, OIL. LUBE SUBLET AMOUNT MISC. CHARGES TOTAL CHARGES

LESS INSURANCE SALES TAX PLEASE PAY THIS AMOUNT