500464

A	W	S	ACCOUNT NO.	CUSTOMER UNIT NO.	PURCHASE ORDER NO.	MECH.	INVOICE NO.
X			10296	AL1338		BMO	523367

NAME	ADDRESS	DATE
Poet Research		10-6-21

CITY	STATE	CONTACT NAME	CONTACT PHONE NO.
Scotland	SD	Clinton	

MAKE	MODEL	SERIAL NO.	HOUR METER
JLG	800AJ	300098470	5163

GENERAL
- ☑ Appearance
- ☑ Hoods / Covers / Enclosures
- ☐ Welds
- ☐ Frame / Sheet Metal
- ☐ Cables / Chains
- ☐ Sheaves / Pulleys / Bushings / Bearings
- ☐ Pins / Bolts / Keepers / Retainers
- ☐ Latches
- ☑ Wheels / Tires / Rim / Casters
- ☐ Lanyard Attachment Points
- ☐ Lower Controls / Upper Controls
- ☐ Switches / Foot Switch
- ☑ Joysticks / Center Locks / Enable Switches
- ☐ Boots
- ☐ Emergency Stops
- ☑ Auxiliary / Emergency Lowering / All Sections
- ☑ Alarms
- ☑ Data Plate
- ☑ Operator's Manual / ANSI Manual / Manual Storage
- ☑ Warning / Danger / Capacity / Indicator Decals
- ☑ Platform / Floor / Railings
- ☑ Entry Chain / Gate
- ☑ A/C Cords / Plugs / GFI / Covers / Generator
- ☐ Lights / Strobe / Horn
- ☐ Power Washer / Air Hoses
- ☐ Full Operational Check to Maximum Height
- ☑ No Unauthorized Modifications

BOOM LIFTS
- ☐ Swing Bearing / Lube / Bolts
- ☐ Swing Gear Condition / Lube / Free Play
- ☐ Hydraulic Center Post Swivel — wet
- ☐ Swing Gear Box Oil Level / Grease
- ☐ Swing Brake
- ☐ Swing Drive Cut Out / Light / Override Switch
- ☐ Swing Drive Directional Change Switch
- ☑ Drive Speeds / Hi Speed Cut Out
- ☐ Tilt Sensor / Alarm / Light
- ☐ Function Speeds / Smoothness
- ☑ Starter Cut Out With Foot Switch Depressed
- ☐ Power / Hose Track
- ☑ Boom Sections / Wear Pads / Lube
- ☑ Wheel Brakes
- ☑ Torque Hub Oil Levels
- ☐ Articulating Axle Float / Lock / Cut Out
- ☐ Axle Extend / Retract / Lock Pins / Interlock

GAS, DIESEL, BATTERY & HYDRAULICS
- ☑ Current PM
- ☐ Engine Oil Level / Condition
- ☐ Coolant Level / Protection to -34°F
- ☐ Air / Fuel Filters
- ☑ Belts / Pulleys / Fan
- ☐ Idle / High RPMs
- ☐ Knocks / Pings / Noise
- ☐ Choke / Glow Plugs
- ☐ Actuators / Linkage
- ☐ Start / Anti Restart
- ☐ Dual Fuel System / LP Pin
- ☐ Fuel Tank / Cap / Gauge / Labeled
- ☐ Engine Code / Light
- ☑ Batteries / Level / Terminals / Cables / Hold Down
- ☐ Charger
- ☐ Fuses / Breakers
- ☐ Motors Electric / Hydraulic
- ☐ Wiring
- ☐ Gauges / Meters
- ☐ Pumps
- ☐ Hydraulic Tank / Filter / Level / Oil Condition
- ☐ Cylinders / Valves / Hoses / Tubes
- ☐ Contactor / Relays / Disconnect
- ☐ Leaks

PERSONNEL LIFT
- ☐ Out Riggers / Interlock / Lights
- ☐ Down Operation Without Outriggers
- ☐ Debris / Pinch Guards
- ☐ Sequencing Cables / Straps
- ☐ Wear Pads / Rollers
- ☐ Mast Free Play
- ☐ Platform / Extension / Latch
- ☐ Bubble Level / Sensor / Cut Out / Alarm
- ☐ Foot Pads / Brakes / Locks
- ☐ Tilt Back Assembly / Struts / Pins / T-Bar
- ☐ Straddle Kit / Winches / Cables / Pins / Cord Reels

DRIVABLE PERSONNEL LIFT / MAST BOOMS
- ☐ High Speed Cut Out
- ☐ Pothole Protectors / Cut Out / Light / Alarm
- ☐ Tilt Sensor Alarm / Light / Cut Out
- ☐ Brakes / Release
- ☐ Swing Gear Condition / Lube
- ☐ Swing Bearing Lube / Bolts
- ☐ Swing Gear Box Oil Level / Grease
- ☐ Hose / Cable Track
- ☐ Sequencing Cables / Straps
- ☐ Platform Extension / Latch / Ladder

TOWABLE PRODUCTS
- ☐ Park / Surge Brake
- ☐ Safety Chains / Cables
- ☐ Runaway Brake / Cable
- ☐ Hitch Coupler / Tongue Jack
- ☐ Trailer Lights
- ☐ Outriggers / Interlock
- ☐ Boom Hold Down Latches
- ☐ Swing Gear Condition / Lube / Free Play
- ☐ Swing Gear Box Oil Level / Grease
- ☐ Swing Bearing Bolts / Lube
- ☐ Tilt Sensor / Alarm / Light

SCISSOR LIFT
- ☐ High Speed / Drive Height Cut Outs
- ☐ Tilt Cut Out / Alarm / Light
- ☐ Pothole Protectors / Alarm / Cut Out
- ☐ Articulating Axle Float / Cut Out
- ☐ Leveling / Outrigger System
- ☐ Control / Brake Reactions
- ☐ Wheel Brakes / Release / Free Wheeling
- ☐ Steering / King Pin Bushings
- ☐ Drive Shafts / U-Joints
- ☐ Hub / Differential / Drop Box Oil Levels
- ☐ Ladder / Steps / Anti-Skid
- ☐ Deck Extension / Latch
- ☐ Fold Down Rails / Pins

OVERALL ☐ PASS (STICKER INSTALLED) ☑ FAIL (NO STICKER)

☐ REPAIRS DONE ☒ REPAIRS TO FOLLOW – PARTS ORDERED ☐ CUSTOMER DECLINES REPAIRS ☐ COULDN'T GET APPROVAL ☐ DO ESTIMATE

QTY.	PART NO.	DESCRIPTION	AMOUNT	COMMENTS: We would like to bring to your attention that the following repairs are needed on your fork truck.
1	32A4000400	Oil Filter		→ Jib Cyl leaks
(1)	PA2949-FN	Air Filter		→ Hyd Filter 59124677 – Recommend.
				Travel alarm disconnected
				RH Hood Damaged.
Hyd Center Post swivel w/ oil				→ Pressure hose on hyd Pump leaks
Steer Knuckle bushings + thrust bearings bad				Hydro seeps some oil
~~Need Air Filter # 2134 Napa~~				→ Recommend Hydro Filter 2120210
	OIL PER QUART			→ Gate springs bad – Manual Storage Brake
1/4	GREASE PER POUND			MECHANIC: MH
	HYDRAULIC OIL PER QUART			I hereby certify the listed planned maintenance was done along with necessary materials. You and your employees may operate above vehicle for purposes of testing, inspection, or delivery at my risk. An express mechanic's lien is acknowledged on above vehicle to secure the amount of repairs thereto. It is understood that this company assumes no responsibility for loss or damage by theft or fire to vehicles placed with them for storage, sale, repair, or while road testing.
	AUTOMATIC TRANSMISSION OIL PER QUART			
1	ANTI-FREEZE PER QUART			
	BRAKE FLUID PER OUNCE			☐ Customer would not allow planned maintenance on truck at this time.
1	WASTE OIL DISPOSAL *(PERMIT #053-03222)*			
	AI *SERVICE CHARGE*			Customer Signature Chris ✓

WHITE - ORIGINAL CANARY - ACCOUNTS RECEIVABLE GOLD - CUSTOMER COPY Rev. 12/2014

YELLOW

PLANNED MAINTENANCE WORK ORDER

P766135

A	W	S	ACCOUNT NO.	CUSTOMER UNIT NO.	PURCHASE ORDER NO.	MECH.	INVOICE NO.
			10234	AL1228		MLA	544550

NAME	ADDRESS	DATE
Pet Rescue Center Inc		9-20-22

CITY	STATE	CONTACT NAME	CONTACT PHONE NO.
Scottsdale	SD		

MAKE	MODEL	SERIAL NO.	HOUR METER
JLG	800AJ	300178470	5294

GAS, LP AND DIESEL POWERED EQUIPMENT

- ☐ Blow out radiator core and clean machine with compressed air
- ☐ Clean grease fittings and lubricate
- ☐ Jack rear of truck and grease steer axle
- ☐ Change engine oil and filter element
- ☐ Check transmission and differential oil level – fill if necessary
- ☐ Check air cleaner – inspect hose and connections
- ☐ Check mast assembly for proper adjustment and lubricate
- ☐ Check battery – add water and clean terminals
- ☐ Check hydraulic sump filler cap – clean or replace if necessary
- ☐ Check hydraulic oil level – fill if necessary
- ☐ Check and lubricate all connecting shafts and levers
- ☐ Check steering gear box level – fill if necessary
- ☐ Check power steering oil level – fill if necessary
- ☐ Check power steering for proper adjustment
- ☐ Check fuel, oil, water systems for leaks. Check radiator for proper coolant level
- ☐ Inspect clutch / incher pedal and linkage for proper adjustment
- ☐ Inspect brake pedal linkage for proper adjustment
- ☐ Check master cylinder – fill if necessary
- ☐ Check PCV system
- ☐ Check all accessory drive belts for proper tension
- ☐ Check carburetor and accelerator linkage, including choke control
- ☐ Check distributor points for adjustment and condition
- ☐ Inspect spark plugs and ignition wiring
- ☐ Inspect lift and tilt cylinders for leaks
- ☐ Check tilt cylinder rod ends and anchors – adjust and tighten as necessary
- ☐ Operational check and physical inspection of machine
- ☐ Check fuel filter and lines

ELECTRIC POWERED EQUIPMENT

- ☐ Clean machine (compressed air)
- ☐ Clean grease fittings and lubricate
- ☐ Jack rear of truck and grease steer axle
- ☐ Check mast assembly for proper adjustment and lubricate
- ☐ Check hydraulic sump filler cap – clean or replace if necessary
- ☐ Check hydraulic oil level – fill if necessary
- ☐ Check and lubricate all connecting shafts and levers
- ☐ Check steering gear box level – fill if necessary
- ☐ Check power steering for proper operation and adjustment
- ☐ Check differential oil level – fill if necessary
- ☐ Inspect lift and tilt cylinders for leaks
- ☐ Inspect brake pedal linkage for proper adjustment
- ☐ Check master cylinder – fill if necessary
- ☐ Inspect battery - check water level
- ☐ Check battery cables and receptacles
- ☐ Check contactor assembly and all switches for proper operation
- ☐ Check tilt cylinder rod ends and anchors – adjust and tighten as necessary
- ☐ Operational check and physical inspection of machine

☐ REPAIRS DONE ☐ REPAIRS TO FOLLOW – PARTS ORDERED ☐ CUSTOMER DECLINES REPAIRS ☐ COULDN'T GET APPROVAL ☐ DO ESTIMATE

QTY.	PART NO.	DESCRIPTION	JOB CODE	AMOUNT	COMMENTS: We would like to bring to your attention that the following repairs are needed on your fork truck.
1	37A4000400	Oil Filter	92		Generator Belt tensioner
1	RE250668 WA6281	Fuel Filter	92		Hyd tank sight gauge leaks
1	BF756D	Fuel	92		Engine Hood needs Repair
2	4000010368	Lube	92		Muffler Strap missing
					Thrust pads for boom Stop pins missing
					Turret Drive gear missing a tooth
					X-st plate on basket needs Repair
10	OIL PER QUART				
1/4	GREASE				MECHANIC: Matt
	HYDRAULIC OIL PER QUART				I hereby certify the listed planned maintenance was done along with necessary materials. You and your employees may operate above vehicle for purposes of testing, inspection, or delivery at my risk. An express mechanic's lien is acknowledged on above vehicle to secure the amount of repairs thereto. It is understood that this company assumes no responsibility for loss or damage by theft or fire to vehicles placed with them for storage, sale, repair, or while road testing.
1	AUTOMATIC TRANSMISSION OIL PER QUART				
1	ANTI-FREEZE PER QUART				
	BRAKE FLUID				☐ Customer would not allow planned maintenance on truck at this time.
1	WASTE OIL DISPOSAL *(PERMIT #053-03222)*				
	PM *SERVICE CHARGE*				Customer Signature

WHITE - ORIGINAL GOLD - CUSTOMER COPY

Rev. 07/2019

TASK SERVICE REPORT

SITE DETAILS

Asset Address 851 Washington St SCOTLAND SD 57059-2036 United States

EQUIPMENT ASSETS

AERIAL : BOOM LIFT : Telescopic Boom Lifts JLG 800AJ 300098470 AL1338

TASK NO. 222760

Service Date 10/18/2023
Service Time 8:00:00 AM
Task Type Site Visit
Technician
Actions Taken Pm completed Muffler strap broken hydraulic swivel wet Kingpin bushings bad and thrust pads Axle stabilizer cyl leaks Kick plate needs to be welded Hub oils should be changed Boon cyl leaks, 1st stage Tooth missing on swing gear motor

Parts & Labor

N/A

CHECKLISTS COMPLETED


MAINTENANCE -

Item	Value / Comments
Hour Meter Reading	5410
Check Operator Input, Concerns	Yes
Check Appearance, Hoods, Covers, Enclosures	Yes
Check Welds, Frames, Sheet Metal	Yes
Check Cables, Chains, Sheaves, Pulleys, Bushings, Bearings	Yes
Check Pins, Bolts, Keepers, Retainers, Latches	Yes
Check Wheels, Tires, Rim, Casters	Yes
Check Lanyard Attachment Points	Yes
Check Lower Controls, Upper Controls	Yes
Check Switches, Foot Switch	Yes
Check Joysticks, Center Locks, Enable Switches, Boots	Yes
Check Emergency Auxiliary, Lowering, (All Sections) and Stops	Yes

Item	Value / Comments
Check wiring, gauges, meters	Yes
Check hydraulic tank, oil level, condition of oil	Yes
Check cylinders, valves, hoses/tubes	Yes
Check Operation of MEWP / Visual Inspect	No
Check rotator bearing,bolts, free play, oil in gear box, grease	No
Check Hydraulic Center Post Swivel	Yes
Check swing brake, drive cut out, directional switch, override switch	Yes
Check Drive Speeds, Hi Speed Cut Out	Yes
Check Tilt Sensor, Alarm, Light	Yes
Check Function Speeds, Smoothness	Yes
Check Starter Cut Out With Foot Switch Depressed	Yes
Check Power, Hose Track	Yes

Item	Value / Comments
Check Alarms	Yes
Check Data Plate	Yes
Check Operator's Manual, ANSI Manual, Manual Storage	Yes
Check Warning, Danger, Capacity, Indicator Decals	Yes
Check Platform, Floor, Railings	Yes
Check Entry Chain, Gate	Yes
Check AC Cords, Plugs, GFI, Covers, Generator	Yes
Check Lights, Strobe, Horn	Yes
Check power Washer, Air Hoses	No
Check Full Operational Check to Maximum Height	Yes
Check No Unauthorized Modifications	Yes
Check for leaks	Yes

Item	Value / Comments
Check Boom Sections, Wear Pads, Lube	Yes
Check Wheel Brakes	Yes
Check Torque Hub Oil Levels	Yes
Check Articulating Axle Float, Lock, Cut Out	Yes
Check Axle extend/retract/lock pins/ interlock	No
Check operation of mewp's	No
Check Battery's for proper weight, terminals/cables, water level, hold down	No
Check operation of charger, fuses, breakers	Yes
Check electric/hydraulic, motors, pumps	Yes
Check contactors, relays, disconnects	Yes
Inspection Result	Fail



1. Picture of Completed Correction

SIGN OFF

Technician Signature Matt L Anderson



Customer Signature Clinton



TASK SERVICE REPORT

SITE DETAILS

Asset Address 851 Washington St Scotland SD 57059-2036 United States

EQUIPMENT ASSETS

AERIAL : BOOM LIFT : Telescopic Boom Lifts JLG 800AJ 300098470 AL1338

TASK NO. 7302820

Work Order # W716409
Service Date May 4, 2026,
Service Time
Task Type Site Visit
Technician Mark E McLaury
Actions Taken Engine oil and Filter install new air filter check fluid levels check machine over

Parts & Labor

Item	Description
*Service Labor - Resource	
*Travel Time	
10W30	10W30 OIL,PER QT
GREASE	GUN GREASE,PER LB

CHECKLISTS COMPLETED

JSA



1. Picture of Problem Cause



2. Picture of Equipment ID Plate

JSA



1. Picture of Hour Meter



2. Picture of Fault Codes

MAINTENANCE -

Item	Value / Comments
Hour Meter Reading	5778
Check Operator Input, Concerns	Yes
Check Appearance, Hoods, Covers, Enclosures	Yes

Item	Value / Comments
Check wiring, gauges, meters	Yes
Check hydraulic tank, oil level, condition of oil	Yes
Check cylinders, valves, hoses/tubes	Yes

Item	Value / Comments
Check Welds, Frames, Sheet Metal	Yes
Check Cables, Chains, Sheaves, Pulleys, Bushings, Bearings	No
Check Pins, Bolts, Keepers, Retainers, Latches	Yes
Check Wheels, Tires, Rim, Casters	Yes
Check Lanyard Attachment Points	Yes
Check Lower Controls, Upper Controls	Yes
Check Switches, Foot Switch	Yes
Check Joysticks, Center Locks, Enable Switches, Boots	Yes
Check Emergency Auxiliary, Lowering, (All Sections) and Stops	No
Check Alarms	Yes
Check Data Plate	Yes
Check Operator's Manual, ANSI Manual, Manual Storage	No
Check Warning, Danger, Capacity, Indicator Decals	Yes
Check Platform, Floor, Railings	Yes
Check Entry Chain, Gate	Yes
Check AC Cords, Plugs, GFI, Covers, Generator	No
Check Lights, Strobe, Horn	Yes
Check power Washer, Air Hoses	No
Check Full Operational Check to Maximum Height	No
Check No Unauthorized Modifications	Yes
Check for leaks	Yes

Item	Value / Comments
Check Operation of MEWP / Visual Inspect	Yes
Check rotator bearing,bolts, free play, oil in gear box, grease	Yes
Check Hydraulic Center Post Swivel	Yes
Check swing brake, drive cut out, directional switch, override switch	No
Check Drive Speeds, Hi Speed Cut Out	Yes
Check Tilt Sensor, Alarm, Light	Yes
Check Function Speeds, Smoothness	Yes
Check Starter Cut Out With Foot Switch Depressed	No
Check Power, Hose Track	No
Check Boom Sections, Wear Pads, Lube	Yes
Check Wheel Brakes	No
Check Torque Hub Oil Levels	Yes
Check Articulating Axle Float, Lock, Cut Out	No
Check Axle extend/retract/lock pins/ interlock	No
Check operation of mewp's	Yes
Check Battery's for proper weight, terminals/cables, water level, hold down	Yes
Check operation of charger, fuses, breakers	Yes
Check electric/hydraulic, motors, pumps	No
Check contactors, relays, disconnects	No
Inspection Result	Pass



1. Picture of Completed Correction

SIGN OFF

Technician

Signature

CASE SERVICE REPORT

SITE DETAILS

Asset Address 851 Washington St SCOTLAND SD 57059-2036 United States

EQUIPMENT ASSETS

AERIAL : BOOM LIFT : Telescopic Boom Lifts JLG 800AJ 300098470 AL1338

CASE DETAILS

Date 09/30/2024
Case No. 125927
Subject Maintenance/Service
PO No. PRC27616
Details

TASKS

TASK NO. 4694766

Service Date 10/08/2024
Task Type Site Visit
Technician
Actions Taken Performed pm service

Parts & Labor

Item	Description
10W30	10W30 OIL,PER QT
A000010368	LUBE,LIFT T12F*
ANTI-FREEZE	ANTI-FREEZE PER QT
GREASE	GUN GREASE,PER LB
*Service Labor - Resource	
*Travel Time	

Sign Off

Technician
Signature

CHECKLISTS COMPLETED

JSA



1. Picture of Problem Cause



2. Picture of Equipment ID Plate

JSA



1. Picture of Hour Meter



2. Picture of Fault Codes

MAINTENANCE -

Item	Value / Comments
Hour Meter Reading	5130
Check Operator Input, Concerns	Yes

Item	Value / Comments
Check wiring, gauges, meters	Yes
Check hydraulic tank, oil level, condition of oil	Yes

Item	Value / Comments
Check Appearance, Hoods, Covers, Enclosures	Yes
Check Welds, Frames, Sheet Metal	Yes
Check Cables, Chains, Sheaves, Pulleys, Bushings, Bearings	Yes
Check Pins, Bolts, Keepers, Retainers, Latches	Yes
Check Wheels, Tires, Rim, Casters	Yes
Check Lanyard Attachment Points	Yes
Check Lower Controls, Upper Controls	Yes
Check Switches, Foot Switch	Yes
Check Joysticks, Center Locks, Enable Switches, Boots	Yes
Check Emergency Auxiliary, Lowering, (All Sections) and Stops	Yes
Check Alarms	Yes
Check Data Plate	Yes
Check Operator's Manual, ANSI Manual, Manual Storage	Yes
Check Warning, Danger, Capacity, Indicator Decals	Yes
Check Platform, Floor, Railings	Yes
Check Entry Chain, Gate	Yes
Check AC Cords, Plugs, GFI, Covers, Generator	Yes
Check Lights, Strobe, Horn	Yes
Check power Washer, Air Hoses	No
Check Full Operational Check to Maximum Height	No
Check No Unauthorized Modifications	Yes
Check for leaks	Yes

Item	Value / Comments
Check cylinders, valves, hoses/tubes	Yes
Check Operation of MEWP / Visual Inspect	No
Check rotator bearing,bolts, free play, oil in gear box, grease	Yes
Check Hydraulic Center Post Swivel	Yes
Check swing brake, drive cut out, directional switch, override switch	Yes
Check Drive Speeds, Hi Speed Cut Out	No
Check Tilt Sensor, Alarm, Light	No
Check Function Speeds, Smoothness	Yes
Check Starter Cut Out With Foot Switch Depressed	Yes
Check Power, Hose Track	Yes
Check Boom Sections, Wear Pads, Lube	Yes
Check Wheel Brakes	Yes
Check Torque Hub Oil Levels	Yes
Check Articulating Axle Float, Lock, Cut Out	Yes
Check Axle extend/retract/lock pins/ interlock	No
Check operation of mewp's	No
Check Battery's for proper weight, terminals/cables, water level, hold down	Yes
Check operation of charger, fuses, breakers	Yes
Check electric/hydraulic, motors, pumps	Yes
Check contactors, relays, disconnects	Yes
Inspection Result	Pass